


Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)



Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

U.S. PATENT DOCUMENTS

*Exam. Init.	Document No.	Date	Name	Class	Subclass	Filing Date if Appropriate

FOREIGN PATENT DOCUMENT

Document No.	Date	Country	Class	SubClass	Translator Yes No

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

DBA	De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," <u>Journal of Biomedical Optics</u> , Vol. 7, No. 3, July 2002, pages 359-371
↑	Jiao, Shuliang et al., "Depth-Resolved Two-Dimensional Stokes Vectors of Backscattered Light and Mueller Matrices of Biological Tissue Measured with Optical Coherence Tomography," <u>Applied Optics</u> , Vol. 39, No. 34, December 1, 2000, pages 6318-6324
	Park, B. Hyle et al., "In Vivo Burn Depth Determination by High-Speed Fiber-Based Polarization Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 6 No. 4, October 2001, pages 474-479
	Roth, Jonathan E. et al., "Simplified Method for Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 26, No. 14, July 15, 2001, pages 1069-1071
	Hitzenberger, Christopher K. et al., "Measurement and Imaging of Birefringence and Optic Axis Orientation by Phase Resolved Polarization Sensitive Optical Coherence Tomography," <u>Optics Express</u> , Vol. 9, No. 13, December 17, 2001, pages 780-790
↓	Wang, Xueding et al., "Propagation of Polarized Light in Birefringent Turbid Media: Time-Resolved Simulations," Optical Imaging Laboratory, Biomedical Engineering Program, Texas A&M University
DBA	Wong, Brian J.F. et al., "Optical Coherence Tomography of the Rat Cochlea," <u>Journal of Biomedical Optics</u> , Vol. 5, No. 4, October 2000, pages 367-370

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878



DBA

Yao, Gang et al., "Propagation of Polarized Light in Turbid Media: Simulated Animation Sequences," Optics Express, Vol. 7, No. 5, August 28, 2000, pages 198-203

Wang, Xiao-Jun et al., "Characterization of Dentin and Enamel by Use of Optical Coherence Tomography," Applied Optics, Vol. 38, No. 10, April 1, 1999, pages 2092-2096

De Boer, Johannes F. et al., "Determination of the Depth-Resolved Stokes Parameters of Light Backscattered from Turbid Media by use of Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 24, No. 5, March 1, 1999, pages 300-302

Ducros, Mathieu G. et al., "Polarization Sensitive Optical Coherence Tomography of the Rabbit Eye," IEEE Journal of Selected Topics in Quantum Electronics, Vol. 5, No. 4, July/August 1999, pages 1159-1167

Groner, Warren et al., "Orthogonal Polarization Spectral Imaging: A New Method for Study of the Microcirculation," Nature Medicine Inc., Vol. 5 No. 10, October 1999, pages 1209-1213

De Boer, Johannes F. et al., "Polarization Effects in Optical Coherence Tomography of Various Viological Tissues," IEEE Journal of Selected Topics in Quantum Electronics, Vol. 5, No. 4, July/August 1999, pages 1200-1204

Yao, Gang et al., "Two-Dimensional Depth-Resolved Mueller Matrix Characterization of Biological Tissue by Optical Coherence Tomography," Optics Letters, April 15, 1999, Vol. 24, No. 8, pages 537-539

Lu, Shih-Yau et al., "Homogeneous and Inhomogeneous Jones Matrices," J. Opt. Soc. Am. A., Vol. 11, No. 2, February 1994, pages 766-773

Bickel, S. William et al., "Stokes Vectors, Mueller Matrices, and Polarized Scattered Light," Am. J. Phys., Vol. 53, No. 5, May 1985 pages 468-478

Br  h  nnet, F. Le Roy et al., "Optical Media and Target Characterization by Mueller Matrix Decomposition," J. Phys. D: Appl. Phys. 29, 1996, pages 34-38

Cameron, Brent D. et al., "Measurement and Calculation of the Two-Dimensional Backscattering Mueller Matrix of a Turbid Medium," Optics Letters, Vol. 23, No. 7, April 1, 1998, pages 485-487

DBA

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878



NOBA

De Boer, Johannes F. et al., "Two-Dimensional Birefringence Imaging in Biological Tissue by Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 22, No. 12, June 15, 1997, pages 934-936

De Boer, Johannes F. et al., "Imaging Thermally Damaged Tissue by Polarization Sensitive Optical Coherence Tomography," Optics Express, Vol. 3, No. 6, September 14, 1998, pages 212-218

Everett, M.J. et al., "Birefringence Characterization of Biological Tissue by Use of Optical Coherence Tomography," Optics Letters, Vol. 23, No. 3, February 1, 1998, pages 228-230

Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging," J. Opt. Soc. Am. B., Vol. 9, No. 6, June 1992, pages 903-908

Barakat, Richard, "Statistics of the Stokes Parameters," J. Opt. Soc. Am. B., Vol. 4, No. 7, July 1987, pages 1256-1263

Schmitt, J.M. et al., "Cross-Polarized Backscatter in Optical Coherence Tomography of Biological Tissue," Optics Letters, Vol. 23, No. 13, July 1, 1998, pages 1060-1062

Schoenenberger, Klaus et al., "Mapping of Birefringence and Thermal Damage in Tissue by use of Polarization-Sensitive Optical Coherence Tomography," Applied Optics, Vol. 37, No. 25, September 1, 1998, pages 6026-6036

Pierce, Mark C. et al., "Simultaneous Intensity, Birefringence, and Flow Measurements with High-Speed Fiber-Based Optical Coherence Tomography," Optics Letters, Vol. 27, No. 17, September 1, 2002, pages 1534-1536

De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," Journal of Biomedical Optics, July 2002, Vol. 7, No. 3, pages 359-371

Fried, Daniel et al., "Imaging Caries Lesions and Lesion Progression with Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 7, No. 4, October 2002, pages 618-627

Jiao, Shuliang et al., "Two-Dimensional Depth-Resolved Mueller Matrix of Biological Tissue Measured with Double-Beam Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 27, No. 2, January 15, 2002, pages 101-103

NOBA

Examiner

Alenise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878



DBA

Jiao, Shuliang et al., "Jones-Matrix Imaging of Biological Tissues with Quadruple-Channel Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 7, No. 3, July 2002, pages 350-358

Kuranov, R.V. et al., "Complementary Use of Cross-Polarization and Standard OCT for Differential Diagnosis of Pathological Tissues," Optics Express, Vol. 10, No. 15, July 29, 2002, pages 707-713

Cense, Barry et al., "In Vivo Depth-Resolved Birefringence Measurements of the Human Retinal Nerve Fiber Layer by Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 27, No. 18, September 15, 2002, pages 1610-1612

Ren, Hongwu et al., "Phase-Resolved Functional Optical Coherence Tomography: Simultaneous Imaging of In Situ Tissue Structure, Blood Flow Velocity, Standard Deviation, Birefringence, and Stokes Vectors in Human Skin," Optics Letters, Vol. 27, No. 19, October 1, 2002, pages 1702-1704

Tripathi, Renu et al., "Spectral Shaping for Non-Gaussian Source Spectra in Optical Coherence Tomography," Optics Letters, Vol. 27, No. 6, March 15, 2002, pages 406-408

Yasuno, Y. et al., "Birefringence Imaging of Human Skin by Polarization-Sensitive Spectral Interferometric Optical Coherence Tomography," Optics Letters, Vol. 27, No. 20, October 15, 2002, pages 1803-1805

White, Brian R. et al., "In Vivo Dynamic Human Retinal Blood Flow Imaging Using Ultra-High-Speed Spectral Domain Optical Doppler Tomography," Optics Express, Vol. 11, No. 25, December 15, 2003, pages 3490-3497

De Boer, Johannes F. et al., "Improved Signal-to-Noise Ratio in Spectral-Domain Compared with Time-Domain Optical Coherence Tomography," Optics Letters, Vol. 28, No. 21, November 1, 2003, pages 2067-2069

Jiao, Shuliang et al., "Optical-Fiber-Based Mueller Optical Coherence Tomography," Optics Letters, Vol. 28, No. 14, July 15, 2003, pages 1206-1208

Jiao, Shuliang et al., "Contrast Mechanisms in Polarization-Sensitive Mueller-Matrix Optical Coherence Tomography and Application in Burn Imaging," Applied Optics, Vol. 42, No. 25, September 1, 2003, pages 5191-5197

Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. I. Theory," Applied Optics, Vol. 42, No. 19, July 1, 2003, pages 3800-3810

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878



DBA

DBA

Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. II. Instrument and Results," Applied Optics, Vol. 42, No. 19, July 1, 2003, pages 3811-3818

Morgan, Stephen P. et al., "Surface-Reflection Elimination in Polarization Imaging of Superficial Tissue," Optics Letters, Vol. 28, No. 2, January 15, 2003, pages 114-116

Oh, Jung-Taek et al., "Polarization-Sensitive Optical Coherence Tomography for Photoelasticity Testing of Glass/Epoxy Composites," Optics Express, Vol. 11, No. 14, July 14, 2003, pages 1669-1676

Park, B. Hyle et al., "Real-Time Multi-Functional Optical Coherence Tomography," Optics Express, Vol. 11, No. 7, April 7, 2003, pages 782-793

Shribak, Michael et al., "Techniques for Fast and Sensitive Measurements of Two-Dimensional Birefringence Distributions," Applied Optics, Vol. 42, No. 16, June 1, 2003, pages 3009-3017

Somervell, A.R.D. et al., "Direct Measurement of Fringe Amplitude and Phase Using a Heterodyne Interferometer Operating in Broadband Light," Elsevier, Optics Communications, October 2003

Stifter, D. et al., "Polarisation-Sensitive Optical Coherence Tomography for Material Characterisation and Strain-Field Mapping," Applied Physics A 76, Materials Science & Processing, January 2003, pages 947-951

Davé, Digant P. et al., "Polarization-Maintaining Fiber-Based Optical Low-Coherence Reflectometer for Characterization and Ranging of Birefringence," Optics Letters, Vol. 28, No. 19, October 1, 2003, pages 1775-1777

Yang, Ying et al., "Observations of Birefringence in Tissues from Optic-Fibre-Based Optical Coherence Tomography," Measurement Science and Technology, November 2002, pages 41-46

Yun, S.H. et al., "High-Speed Optical Frequency-Domain Imaging," Optics Express, Vol. 11, No. 22, November 3, 2003, pages 2953-2963

Yun, S.H. et al., "High-Speed Spectral-Domain Optical Coherence Tomography at 1.3 μm Wavelength," Optics Express, Vol. 11, No. 26, December 29, 2003, pages 3598-3604

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878



DBA			Zhang, Jun et al., "Determination of Birefringence and Absolute Optic Axis Orientation Using Polarization-Sensitive Optical Coherence Tomography with PM Fibers," <u>Optics Express</u> , Vol. 11, No. 24, December 1, 2003, pages 3262-3270
↑			Pircher, Michael et al., "Three Dimensional Polarization Sensitive OCT of Human Skin In Vivo," 2004, <u>Optical Society of America</u>
			Götzinger, Erich et al., "Measurement and Imaging of Birefringent Properties of the Human Cornea with Phase-Resolved, Polarization-Sensitive Optical Coherence Tomography," <u>Journal of Biomedical Optics</u> , Vol. 9, No. 1, January/February 2004, pages 94-102
			Guo, Shuguang et al., "Depth-Resolved Birefringence and Differential Optical Axis Orientation Measurements with Fiber-based Polarization-Sensitive Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 29, No. 17, September 1, 2004, pages 2025-2027
			Huang, Xiang-Run et al., "Variation of Peripapillary Retinal Nerve Fiber Layer Birefringence in Normal Human Subjects," <u>Investigative Ophthalmology & Visual Science</u> , Vol. 45, No. 9, September 2004, pages 3073-3080
			Matcher, Stephen J. et al., "The Collagen Structure of Bovine Intervertebral Disc Studied Using Polarization-Sensitive Optical Coherence Tomography," <u>Physics in Medicine and Biology</u> , 2004, pages 1295-1306
			Nassif, Nader et al., "In Vivo Human Retinal Imaging by Ultrahigh-Speed Spectral Domain Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 29, No. 5, March 1, 2004, pages 480-482
			Nassif, N.A. et al., "In Vivo High-Resolution Video-Rate Spectral-Domain Optical Coherence Tomography of the Human Retina and Optic Nerve," <u>Optics Express</u> , Vol. 12, No. 3, February 9, 2004, pages 367-376
			Park, B. Hyle et al., "Comment on "Optical-Fiber-Based Mueller Optical Coherence Tomography," <u>Optics Letters</u> , Vol. 29, No. 24, December 15, 2004, pages 2873-2874
			Park, B. Hyle et al., "Jones Matrix Analysis for a Polarization-Sensitive Optical Coherence Tomography System Using Fiber-Optic Components," <u>Optics Letters</u> , Vol. 29, No. 21, November 1, 2004, pages 2512-2514
DBA			Pierce, Mark C. et al., "Collagen Denaturation can be Quantified in Burned Human Skin Using Polarization-Sensitive Optical Coherence Tomography," <u>Elsevier, Burns</u> , 2004, pages 511-517

Examiner

Nerise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878



DBA

↑
↓

DBA

Pierce, Mark C. et al., "Advances in Optical Coherence Tomography Imaging for Dermatology," The Society for Investigative Dermatology, Inc. 2004, pages 458-463

Pierce, Mark C. et al., "Birefringence Measurements in Human Skin Using Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 9, No. 2, March/April 2004, pages 287-291

Cense, Barry et al., "In Vivo Birefringence and Thickness Measurements of the Human Retinal Nerve Fiber Layer Using Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 9, No. 1, January/February 2004, pages 121-125

Pircher, Michael et al., "Imaging Of Polarization Properties of Human Retina in Vivo with Phase Resolved Transversal PS-OCT," Optics Express, Vol. 12, No. 24, November 29, 2004, pages 5940-5951

Pircher, Michael et al., "Transversal Phase Resolved Polarization Sensitive Optical Coherence Tomography," Physics in Medicine & Biology, 2004, pages 1257-1263

Srinivas, Shyam M. et al., "Determination of Burn Depth by Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 9, No. 1, January/February 2004, pages 207-212

Strasswimmer, John et al., "Polarization-Sensitive Optical Coherence Tomography of Invasive Basal Cell Carcinoma," Journal of Biomedical Optics, Vol. 9, No. 2, March/April 2004, pages 292-298

Todorović, Miloš et al., "Determination of Local Polarization Properties of Biological Samples in the Presence of Diattenuation by use of Mueller Optical Coherence Tomography," Optics Letters, Vol. 29, No. 20, October 15, 2004, pages 2402-2404

Yasuno, Yoshiaki et al., "Polarization-Sensitive Complex Fourier Domain Optical Coherence Tomography for Jones Matrix Imaging of Biological Samples," Applied Physics Letters, Vol. 85, No. 15, October 11, 2004, pages 3023-3025

4821-7284-5568V1

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

INFORMATION DISCLOSURE STATEMENT

BY APPLICANT
(Use several sheets if necessary)



Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

U.S. PATENT DOCUMENTS

*Exam. Init.	Document No.	Date	Name	Class	Subclass	Filing Date if Appropriate
DBA	6 6 8 5 8 8 5	February 3, 2004	Nolte et al.			
	6 6 8 7 0 0 7	February 3, 2004	Meigs			
DBA	2003 0 0 2 6 7 3 5	February 6, 2003	Nolte et al.			
	2004 0 1 6 6 5 9 3	August 26, 2004	Nolte et al.			

FOREIGN PATENT DOCUMENT

Document No.	Date	Country	Class	SubClass	Translator Yes No
DBA 0 3 0 2 0 1 1 9	March 13, 2003	WIPO			

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

DBA	Nicusor V. Iftimia et al., "A Portable, Low Coherence Interferometry Based Instrument for Fine Needle Aspiration Biopsy Guidance" Accepted to Review of Scientific Instruments, 2005
	Abbas, G.L., V.W.S. Chan et al., "Local-Oscillator Excess-Noise Suppression for Homodyne and Heterodyne-Detection", <u>Optics Letters</u> , Vol. 8, pages 419-421, August 1983 issue
	Agrawal, G.P., "Population Pulsations and Nondegenerate 4-Wave Mixing in Semiconductor-Lasers and Amplifiers", <u>Journal Of The Optical Society Of America B-Optical Physics</u> , Vol. 5, pages 147-159, January 1998
	Andretzky, P. et al., "Optical Coherence Tomography by Spectral Radar: Improvement of Signal-to-Noise Ratio", <u>The International Society for Optical Engineering, USA</u> , Vol. 3915, 2000
	Ballif, J. et al., "Rapid and Scalable Scans at 21 m/s in optical Low-Coherence Reflectometry", <u>Optics Letters</u> , Vol. 22, pages 757-759, June 1997
DBA	Barfuss H. et al., "Modified Optical Frequency-Domain Reflectometry with High Spatial-Resolution for Components of Integrated Optic Systems", <u>Journal Of Lightwave Technology</u> , Vol. 7, pages 3-10, January 1989

Examiner *Denise B. Andersen* Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

DBA ↑		Beaud, P. et al., "Optical Reflectometry with Micrometer Resolution for the Investigation of Integrated Optical-Devices", <u>IEEE Journal of Quantum Electronics</u> , Vol. 25, pages 755-759, April 1989
		Bouma, Brett et al., "Power-Efficient Nonreciprocal Interferometer and Linear-Scanning Fiber-Optic Catheter for Optical Coherence Tomography", <u>Optics Letters</u> , Vol. 24, pages 531-533, April 1999
		Brinkmeyer, E. et al., "Efficient Algorithm for Non-Equidistant Interpolation of Sampled Data", <u>Electronics Letters</u> , Vol. 28, page 693, March 1992
		Brinkmeyer, E. et al., "High-Resolution OCDR in Dispersive Wave-Guides", <u>Electronics Letters</u> , Vol. 26, pages 413-414, March 1990
		Chinn, S.R. et al., "Optical Coherence Tomography Using a Frequency-Tunable Optical Source", <u>Optics Letters</u> , Vol. 22, pages 340-342, March 1997
		Danielson, B.L. et al., "Absolute Optical Ranging Using Low Coherence Interferometry", <u>Applied Optics</u> , Vol. 30, page 2975, July 1991
		Dorrer, C. et al., "Spectral Resolution and Sampling Issues in Fourier-Transform Spectral Interferometry", <u>Journal of the Optical Society of America B-Optical Physics</u> , Vol. 17, pages 1795-1802, October 2000
		Dudley, J.M. et al., "Cross-Correlation Frequency Resolved Optical Gating Analysis of Broadband Continuum Generation in Photonic Crystal Fiber: Simulations and Experiments", <u>Optics Express</u> , Vol. 10, page 1215, October 2002
		Eickhoff, W. et al., "Optical Frequency-Domain Reflectometry in Single-Mode Fiber", <u>Applied Physics Letters</u> , Vol. 39, pages 693-695, 1981
		Fercher, Adolf "Optical Coherence Tomography", <u>Journal of Biomedical Optics</u> , Vol. 1, pages 157-173, April 1996
DBA ↓		Ferreira, L.A. et al., "Polarization-Insensitive Fiberoptic White-Light Interferometry", <u>Optics Communications</u> , Vol. 114, pages 386-392, February 1995

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

DBA ↑		Fujii, Yohji, "High-Isolation Polarization-Independent Optical Circulator", <u>Journal of Lightwave Technology</u> , Vol. 9, pages 1239-1243, October 1991
		Glance, B., "Polarization Independent Coherent Optical Receiver", <u>Journal of Lightwave Technology</u> , Vol. LT-5, page 274, February 1987
		Glombitza, U., "Coherent Frequency-Domain Reflectometry for Characterization of Single-Mode Integrated-Optical Wave-Guides", <u>Journal of Lightwave Technology</u> , Vol. 11, pages 1377-1384, August 1993
		Golubovic, B. et al., "Optical Frequency-Domain Reflectometry Using Rapid Wavelength Tuning of a Cr4+:Forsterite Laser", <u>Optics Letters</u> , Vol. 11, pages 1704-1706, November 1997
		Haberland, U. H. P. et al., "Chirp Optical Coherence Tomography of Layered Scattering Media", <u>Journal of Biomedical Optics</u> , Vol. 3, pages 259-266, July 1998
		Hammer, Daniel X. et al., "Spectrally Resolved White-Light Interferometry for Measurement of Ocular Dispersion", <u>Journal of the Optical Society of America A-Optics Image Science and Vision</u> , Vol. 16, pages 2092-2102, September 1999
		Harvey, K. C. et al., "External-Cavity Diode-Laser Using a Grazing-Incidence Diffraction Grating", <u>Optics Letters</u> , Vol. 16, pages 910-912, June 1991
		Hausler, Gerd et al., "'Coherence Radar' and 'Spectral Radar' New Tools for Dermatological Diagnosis", <u>Journal of Biomedical Optics</u> , Vol. 3, pages 21-31, January 1998
		Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging", <u>Journal of the Optical Society of America B (Optical Physics)</u> , Vol. 9, page 903-908, June 1992
		Hotate Kazuo et al., "Optical Coherence Domain Reflectometry by Synthesis of Coherence Function", <u>Journal of Lightwave Technology</u> , Vol. 11, pages 1701-1710, October 1993
DBA ↓		Inoue, Kyo et al., "Nearly Degenerate 4-Wave-Mixing in a Traveling-Wave Semiconductor-Laser Amplifier", <u>Applied Physics Letters</u> , Vol. 51, pages 1051-1053, 1987

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

DBA			Ivanov, A. P. et al., "New Method for High-Range Resolution Measurements of Light Scattering in Optically Dense Inhomogeneous Media", <u>Optics Letters</u> , Vol. 1, pages 226-228, December 1977
			Ivanov, A. P. et al., "Interferometric Study of the Spatial Structure of a Light-Scattering Medium", <u>Journal of Applied Spectroscopy</u> , Vol. 28, pages 518-525, 1978
			Kazovsky, L. G. et al., "Heterodyne Detection Through Rain, Snow, and Turbid Media: Effective Receiver Size at Optical Through Millimeter Wavelengths", <u>Applied Optics</u> , Vol. 22, pages 706-710, March 1983
			Kersey, A. D. et al., "Adaptive Polarization Diversity Receiver Configuration for Coherent Optical Fiber Communications", <u>Electronics Letters</u> , Vol. 25, pages 275-277, February 1989
			Kohlhaas, Andreas et al., "High-Resolution OADR for Testing Integrated-Optical Waveguides: Dispersion-Corrupted Experimental Data Corrected by a Numerical Algorithm", <u>Journal of Lightwave Technology</u> , Vol. 9, pages 1493-1502, November 1991
			Larkin, Kieran G., "Efficient Nonlinear Algorithm for Envelope Detection in White Light Interferometry", <u>Journal of the Optical Society of America A-Optics Image Science and Vision</u> , Vol. 13, pages 832-843, April 1996
			Leitgeb, R. et al., "Spectral measurement of Absorption by Spectroscopic Frequency-Domain Optical Coherence Tomography", <u>Optics Letters</u> , Vol. 25, pages 820-822, June 2000
			Lexer, F. et al., "Wavelength-Tuning Interferometry of Intraocular Distances", <u>Applied Optics</u> , Vol. 36, pages 6548-6553, September 1997
			Mitsui, Takahisa, "Dynamic Range of Optical Reflectometry with Spectral Interferometry", <u>Japanese Journal of Applied Physics Part 1-Regular Papers Short Notes & Review Papers</u> , Vol. 38, pages 6133-6137, 1999
			Naganuma, Kazunori et al., "Group-Delay Measurement Using the Fourier-Transform of an Interferometric Cross-Correlation Generated by White Light", <u>Optics Letters</u> , Vol. 15, pages 393-395, April 1990
DBA			Okoshi, Takanori, "Polarization-State Control Schemes for Heterodyne or Homodyne Optical Fiber Communications", <u>Journal of Lightwave Technology</u> , Vol. LT-3, pages 1232-1237, December 1995

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

DBA		Passy, R. et al., "Experimental and Theoretical Investigations of Coherent OFDR with Semiconductor-Laser Sources", <u>Journal of Lightwave Technology</u> , Vol. 12, pages 1622-1630, September 1994
↑		Podoleanu, Adrian G., "Unbalanced Versus Balanced Operation in an Optical Coherence Tomography System", <u>Applied Optics</u> , Vol. 39, pages 173-182, January 2000
		Price, J. H. V. et al., "Tunable, Femtosecond Pulse Source Operating in the Range 1.06-1.33 μ m Based on an Yb ³⁺ -doped Holey Fiber Amplifier", <u>Journal of the Optical Society of America B-Optical Physics</u> , Vol. 19, pages 1286-1294, June 2002
		Schmitt, J. M. et al., "Measurement of Optical-Properties O Biological Tissues By Low-Coherence Reflectometry" <u>Applied Optics</u> , Vol. 32, pages 6032-6042, October 1993
		Silberberg, Y. et al., "Passive-Mode Locking of a Semiconductor Diode-Laser", <u>Optics Letters</u> , Vol. 9, pages 507-509, November 1984
		Smith, L. Montgomery et al., "Absolute Displacement Measurements Using Modulation of the Spectrum of White-Light in a Michelson Interferometer", <u>Applied Optics</u> , Vol. 28, pages 3339-3342, August 1989
		Sonnensc, C. M. et al., "Signal-To-Noise Relationships for Coaxial Systems that Heterodyne Backscatter from Atmosphere", <u>Applied Optics</u> , Vol. 10, pages 1600-1604, July 1971
		Sorin, W. V. et al., "Measurement of Rayleigh Backscattering at 1.55 μ m with 32 μ m Spatial Resolution", <u>IEEE Photonics Technology Letters</u> , Vol. 4, pages 374-376, April 1992
		Sorin, W. V. et al., "A Simple Intensity Noise-Reduction Technique for Optical Low-Coherence Reflectometry", <u>IEEE Photonics Technology Letters</u> , Vol. 4, pages 1404-1406, December 1992
↓		Swanson, E. A. et al., "High-Speed Optical Coherence Domain Reflectometry", <u>Optics Letters</u> , Vol. 17, pages 151-153, January 1992
DBA		Takada, K. et al., "High-Resolution OFDR with Incorporated Fiberoptic Frequency Encoder", <u>IEEE Photonics Technology Letters</u> , Vol. 4, pages 1069-1072, September 1992

Examiner

Nemise B. Andersen

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

WDBA ↑ ↓ WDBA			"Narrow-Band light Source with Acoustooptic Tunable Filter for Optical Low-Coherence Reflectometry", by Takada, Kazumasa et al., <u>IEEE Photonics Technology Letters</u> , Vol. 8, pages 658-660, May, 1996
			Takada, Kazumasa et al., "New Measurement System for Fault Location in Optical Wave-Guide Devices Based on an Interometric-Technique", <u>Applied Optics</u> , Vol. 26, pages 1603-1606, May 1987
			Tateda, Mitsuhiro et al., "Interferometric Method for Chromatic Dispersion Measurement in a Single-Mode Optical Fiber", <u>IEEE Journal Of Quantum Electronics</u> , Vol. 17, pages 404-407, March 1981
			Toide, M. et al., "Two-Dimensional Coherent Detection Imaging in Multiple Scattering Media Based the Directional Resolution Capability of the Optical Heterodyne Method", <u>Applied Physics B (Photophysics and Laser Chemistry)</u> , Vol. B52, pages 391-394, 1991
			Trutna, W. R. et al., "Continuously Tuned External-Cavity Semiconductor-Laser", <u>Journal of Lightwave Technology</u> , Vol. 11, pages 1279-1286, August 1993
			Uttam, Deepak et al., "Precision Time Domain Reflectometry in Optical Fiber Systems Using a Frequency Modulated Continuous Wave Ranging Technique", <u>Journal of Lightwave Technology</u> , Vol. 3, pages 971-977, October 1985
			Von Der Weid, J. P. et al., "On the Characterization of Optical Fiber Network Components with Optical Frequency Domain Reflectometry", <u>Journal of Lightwave Technology</u> , Vol. 15, pages 1131-1141, July 1997
			Wysocki, P.F. et al., "Broad-Spectrum, Wavelength-Swept, Erbium-Doped Fiber Laser at 1.55-Mu-M", <u>Optics Letters</u> , Vol. 15, pages 879-881, August 1990
			Youngquist, Robert C. et al., "Optical Coherence-Domain Reflectometry - A New Optical Evaluation Technique", <u>Optics Letters</u> , Vol. 12, pages 158-160, March 1987
			Yun, S. H. et al., "Wavelength-Swept Fiber Laser with Frequency Shifted Feedback and Resonantly Swept Intra-Cavity Acoustooptic Tunable Filter", <u>IEEE Journal of Selected Topics in Quantum Electronics</u> , Vol. 3, pages 1087-1096, August 1997
			Yun, S. H. et al., "Interrogation of Fiber Grating Sensor Arrays with a Wavelength-Swept Fiber Laser", <u>Optics Letters</u> , Vol. 23, pages 843-845, June 1998

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

QBA			Yung, K. M., "Phase-Domain Processing of Optical Coherence Tomography Images", <u>Journal of Biomedical Optics</u> , Vol. 4, pages 125-136, January 1999
↑			Zhou, Xiao-Qun et al., "Extended-Range FMCW Reflectometry Using an optical Loop with a Frequency Shifter", <u>IEEE Photonics Technology Letters</u> , Vol. 8, pages 248-250, February 1996
↓			Zorabedian, Paul et al., "Tuning Fidelity of Acoustooptically Controlled External Cavity Semiconductor-Lasers", <u>Journal of Lightwave Technology</u> , Vol. 13, pages 62-66, January 1995
QBA			Victor S. Y. Lin et al., "A Porous Silicon-Based Optical Interferometric Biosensor", <u>Science Magazine</u> , Vol. 278, pages 840-843, October 31, 1997

4827-1921-6384\1


Examiner

Nerise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark OfficeAtty. Docket No.
036290/US/2 - 475387-
00017Serial No.
10/501,268**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)Applicant(s)
Guillermo J. TearneyFiling Date
July 9, 2004Group
2878**U.S. PATENT DOCUMENTS**

*Exam. Init.	Document No.	Date	Name	Class	Subclass	Filing Date if Appropriate
DBA	6 8 0 6 9 6 3	October 19, 2004	Wälti et al.			

FOREIGN PATENT DOCUMENT

Document No.	Date	Country	Class	SubClass	Translator Yes No
DBA 0 1 3 8 8 2 0	May 31, 2001	WIPO*			

* U.S. equivalent is listed

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

--	--	--

4837-6038-8352\1

Examiner *Nemise B. Anderson* Date Considered*4/11/06*

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Serial No.
10/501,268

BY APPLICANT
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

**Group
2878**

*Exam. Init.	Document No.							Date	Name	Class	Subclass	Filing Date if Appropriate
IOBA ↑ ↓ IOBA	5	7	1	0	6	3	0	January 20, 1998	Essenpreis et al.			
	5	8	0	7	2	6	1	September 15, 1998	Benaron et al.			
	5	9	5	1	4	8	2	September 14, 1999	Winston et al.			
	5	9	8	3	1	2	5	November 9, 1999	Alfano et al.			
	6	1	3	4	0	1	0	October 17, 2000	Zavislan			
	6	1	9	3	6	7	6	February 27, 2001	Winston et al.			
	6	3	0	8	0	9	2	October 23, 2001	Hoyns			
	6	3	9	3	3	1	2	May 21, 2002	Hoyns			
	6	3	9	4	9	6	4	May 28, 2002	Sievert, Jr. et al.			
6	4	4	5	9	4	4	September 3, 2002	Ostrovsky				
	6	4	6	3	3	1	3	October 8, 2002	Winston et al.			

FOREIGN PATENT DOCUMENT

[illegible]

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

[illegible]

4835-4864-2560\1

Examiner

Date Considered

4/11/04

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
A36290 PCT USA
069225.0162

Serial No.
To be assigned
107501268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
Herewith (07/09/04)

Group
To be assigned

U.S. PATENT DOCUMENTS

*Exam. Init.	Document No.	Date	Name	Class	Subclas s	Filing Date if Appropriate
DBA	5 5 8 3 3 4 2	December 10, 1996	Ichie Koji **			
DBA	4 9 6 5 4 4 1	October 23, 1990	Picard Bernard **			

FOREIGN PATENT DOCUMENT

Document No.	Date	Country	Class	SubClass	Translator Yes No
DBA 0 1 4 2 7 3 5	June 14, 2001	WO **			X*
					X*

** References cited in International Search Report.

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

--	--	--

NY02:491256.1

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-17

Serial No.
10/501,268


INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878



U.S. PATENT DOCUMENTS

*Exam. Init.	Document No.							Date	Name	Class	Subclass	Filing Date if Appropriate
DBA	2	3	3	9	7	5	4	January 25, 1944	P.H. Brace			
	4	6	0	1	0	3	6	July 15, 1986	Faxvog et al			
	4	6	3	1	4	9	8	December 23, 1986	Cutler			
	4	8	6	8	8	3	4	September 19, 1989	Fox et al			
	4	9	2	5	3	0	2	May 15, 1990	Cutler			
	4	9	9	3	8	3	4	February 19, 1991	Carlhoff et al			
	5	0	4	0	8	8	9	August 20, 1991	Keane			
	5	0	4	6	5	0	1	September 10, 1991	Crilly			
	5	1	2	0	9	5	3	June 9, 1992	Harris			
	5	1	9	7	4	7	0	March 30, 1993	Helfer et al			
	5	2	9	3	8	7	2	March 15, 1994	Alfano et al			
	5	3	1	7	3	8	9	May 31, 1994	Hochberg et al			
	5	3	2	1	5	0	1	June 14, 1994	Swanson et al			
	5	3	5	3	7	9	0	October 11, 1994	Jacques et al			
	5	3	8	3	4	6	7	January 24, 1995	Auer et al			
	5	4	1	9	3	2	3	May 30, 1995	Kittrell et al			
	5	4	3	9	0	0	0	August 8, 1995	Gunderson et al			
	5	4	4	1	0	5	3	August 15, 1995	Lodder et al			
	5	4	5	9	5	7	0	October 17, 1995	Swanson et al			
	5	4	6	5	1	4	7	November 7, 1995	Swanson			
	5	4	8	6	7	0	1	January 23, 1996	Norton et al			
	5	4	9	1	5	5	2	February 13, 1996	Kittrell			
	5	5	6	2	1	0	0	October 8, 1996	Kittrell et al			
	5	5	9	0	6	6	0	January 7, 1997	MacAulay et al			
	5	6	0	1	0	8	7	February 11, 1997	Richards-Kortum et al			
DBA	5	6	9	7	3	7	3	December 16, 1997	Gunderson et al			

Examiner

Denise B. Andersen

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-17

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878



5	7	1	9	3	9	9	February 17, 1998	Alfano et al			
5	7	4	8	5	9	8	May 5, 1998	Swanson et al			
5	7	4	8	3	5	2	July 21, 1998	Swanson et al.			
5	7	9	5	2	9	5	August 18, 1998	Hellmuth et al			
5	8	0	3	0	8	2	September 8, 1998	Stapleton et al			
5	8	4	0	0	2	3	November 24, 1998	Oraevsky et al			
5	8	4	2	9	9	5	December 1, 1998	Mahadevan-Jansen et al			
5	8	6	5	7	5	4	February 2, 1999	Sevick-Muraca et al			
5	8	7	1	4	4	9	February 16, 1999	David Lloyd Brown			
5	9	2	1	9	2	6	July 13, 1999	Rolland et al			
5	9	5	6	3	5	5	September 21, 1999	Swanson et al			
5	9	6	8	0	6	4	October 19, 1999	Selmon et al			
5	9	8	7	3	4	6	November 16, 1999	Benaron et al			
5	9	9	4	6	9	0	November 30, 1999	Kulkarni et al			
6	0	0	2	4	8	0	December 14, 1999	Izatt et al			
6	0	0	6	1	2	8	December 21, 1999	Izatt et al			
6	0	1	0	4	4	9	January 4, 2000	Selmon et al			
6	0	0	2	4	8	0	December 14, 1999	Izatt et al.			
6	0	3	3	7	2	1	March 7, 2000	Nikos Nassuphis			
6	0	4	4	2	8	8	March 28, 2000	Wake et al			
6	0	4	8	7	4	2	April 11, 2000	Weyburne et al			
6	0	6	9	6	9	8	May 30, 2000	Ozawa et al			
6	0	9	1	9	8	4	July 18, 2000	Perelman et al			
6	1	1	1	6	4	5	August 29, 2000	Tearney et al			
6	1	1	7	1	2	8	September 12, 2000	Kenton W. Gregory			
6	1	2	0	5	1	6	September 19, 2000	Selmon et al			
6	1	3	4	0	0	3	October 17, 2000	Tearney et al			

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-17

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878



6	1	4	1	5	7	7	October 31, 2000	Rolland et al
6	1	5	1	5	2	2	November 21, 2000	Alfano et al
6	1	5	9	4	4	5	December 12, 2000	Klaveness et al
6	1	6	0	8	2	6	December 12, 2000	Swanson et al
6	1	6	1	0	3	1	December 12, 2000	Hochmann et al
6	1	7	5	6	6	9	January 16, 2001	Colston et al
6	1	8	5	2	7	1	February 6, 2001	Richard Estyn Kinsinger
6	1	9	1	8	6	2	February 20, 2001	Swanson et al
6	2	0	1	9	8	9	March 13, 2001	Whitehead et al.
6	2	0	8	8	8	7	March 27, 2001	Richard H. Clarke
6	2	8	2	0	1	1	August 28, 2001	Tearney et al
6	3	4	1	0	3	6	January 22, 2002	Tearney et al
6	3	7	7	3	4	9	April 23, 2002	Adolf Friedrich Fercher
6	4	2	1	1	6	4	July 16, 2002	Tearney et al
6	4	8	5	4	1	3	November 26, 2002	Boppart et al
6	4	8	5	4	8	2	November 26, 2002	W. Martin Belef
6	5	0	1	5	5	1	December 31, 2002	Tearney et al
6	5	5	2	7	9	6	April 22, 2003	Magnin et al
6	5	6	4	0	8	7	May 13, 2003	Pitris et al
6	6	2	2	7	3	2	September 23, 2003	Brent R. Constantz
2002	0	1	6	1	3	5	October 31, 2002	Rox et al
2002	0	1	6	3	6	2	November 7, 2002	Magnin et al
2003	0	0	2	3	1	5	January 30, 2003	Izatt et al
2003	0	2	3	6	4	4	December 25, 2003	Cespedes et al

FOREIGN PATENT DOCUMENT

Examiner

Denise B. Anderson

Date Considered

4 / 11 / 06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Atty. Docket No.
036290/US/2 – 475387-17

Serial No.
10/501,268

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878



PATENT & TRADEMARK		Document No.							Date	Country	Class	SubClass	Translator Yes No	
QBA ↑		4	3	0	9	0	5	6	September 22, 1994	Germany				
		2	2	0	9	2	2	1	May 4, 1989	Great Britain				
		0	1	1	0	2	0	1	June 13, 1984	European				
		0	2	5	1	0	6	2	January 7, 1988	European				
		9	2	1	9	9	3	0	November 12, 1992	WIPO				
		9	3	0	3	6	7	2	March 4, 1993	WIPO				
		9	7	3	2	1	8	2	September 4, 1997	WIPO				
		9	8	3	5	2	0	3	August 13, 1998	WIPO				
		9	9	4	4	0	8	9	September 2, 1999	WIPO				
		9	9	5	7	5	0	7	November 11, 1999	WIPO				
QBA ↓		0	0	5	8	7	6	6	October 5, 2000	WIPO				
		0	2	5	4	0	2	7	July 11, 2002	WIPO				

<p>DBA</p> <p>↑</p> <p>↓</p> <p>DBA</p>		“High Resolution in Vivo Intra-Arterial Imaging with Optical Coherence Tomography” by Jujimoto et al., in the <u>Official Journal of the British Cardiac Society</u> , Vol. 82, pages 128-133 Heart - 1999,
		“Optical Coherence Tomography” by D. Huang et al., in <u>SCIENCE</u> , Vol. 254, pages 1178-1181, November, 1991
		“High-Speed Phase –and Group Delay Scanning with a Grating Based Phase Control Delay Line” by Tearney, et al., in <u>Optics Letters</u> , Vol. 22, Pages 1811-1813, December, 1997
		“In Vivo Video Rate Optical Coherence Tomography” by Rollins, et al., in the <u>Optics Express</u> , Vol. 3, pages 219-229, September, 1998

Examiner

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-17

Serial No.
10/501,268


**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004.

Group
2878



NBA

↑

High Speed Fiber-Based Polarization-Sensitive Optical Coherence Tomography of in Vivo Human Skin" by Saxer, et al., in the Optical Society of America, Vol. 25, pages 1355-1357, September, 2000

"3000 Times Grating Compress or with Positive Group Velocity Dispersion" by Oscar Eduardo Martinez, in the IEEE, Vol. QE-23, pages 59-64, January, 1987

"Image Enhancement in Optical Coherence Tomography Using Deconvolution" by Kulkarni, et al., in the Electronics Letters, Vol. 33, pages 1365-1367, July, 1997

"Signal Processing for Improving Field Cross-Correlation Function in Optical Coherence Tomography" by Bashkansky, et al., in the Optics & Photonics News, Vol. 9, pages 8137-8138, May, 1998

"Phase-Domain Processing of Optical Coherence Tomography Images" by Yung, et al., in the Journal of Biomedical Optics, Vol. 4, pages 125-136, January, 1999

"In Vivo Endoscopic Optical Biopsy with Optical Coherence Tomography" by Tearney, et al., in the SCIENCE, Vol. 276, June, 1997

↓

"In Vivo Ultrahigh-Resolution Optical Coherence Tomography" by W. Drexler et al., Opt. Lett. Vol. 24, pp. 1221-3, Sept. 1999

NBA

4833-5910-3744\1


Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Atty. Docket No.
036290/US/2 - 475387-
00017Serial No.
10/501,268Applicant(s)
Guillermo J. Tearney et al.Filing Date
July 9, 2004Group
2878**U.S. PATENT DOCUMENTS**

*Exam. Init.		Document No.							Date	Name	Class	Subclass	Filing Date if Appropriate
DBA		4	9	2	8	0	0	5	May 22, 1990	Lefèvre et al.			
		5	2	0	2	7	4	5	April 13, 1993	Sörin et al.			
		5	5	6	5	9	8	6	October 15, 1996	Knüttel			
		5	8	4	7	8	2	7	December 8, 1998	Fercher			
		5	8	7	7	8	5	6	March 2, 1999	Fercher			
		5	9	2	0	3	7	3	July 6, 1999	Bille			
		5	9	9	1	6	9	7	November 23, 1999	Nelson et al.			
		6	2	0	8	4	1	5	March 27, 2001	De Boer et al.			
		6	5	4	9	8	0	1	April 15, 2003	Chen et al.			
	2002	0	1	9	6	4	4	6	December 26, 2002	Roth et al.			
DBA	2002	0	1	9	8	4	5	7	December 26, 2002	Tearney et al.			
DBA													
DBA													

FOREIGN PATENT DOCUMENT

		Document No.							Date	Country	Class	SubClass	Translator Yes No	

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

DBA			Acioli, L. H., M. Ulman, et al. (1991). "Femtosecond Temporal Encoding in Barium-Titanate." <u>Optics Letters</u> 16(24): 1984-1986.
DBA			Aigouy, L., A. Lahrech, et al. (1999). "Polarization effects in apertureless scanning near-field optical microscopy: an experimental study." <u>Optics Letters</u> 24(4): 187-189.

Examiner

Date Considered

Nemise B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Akiba, M., K. P. Chan, et al. (2003). "Full-field optical coherence tomography by two-dimensional heterodyne detection with a pair of CCD cameras." <u>Optics Letters</u> 28(10): 816-818.
↑		Akkin, T., D. P. Dave, et al. (2004). "Detection of neural activity using phase-sensitive optical low-coherence reflectometry." <u>Optics Express</u> 12(11): 2377-2386.
		Akkin, T., D. P. Dave, et al. (2003). "Surface analysis using phase sensitive optical low coherence reflectometry." <u>Lasers in Surgery and Medicine</u> : 4-4.
		Akkin, T., D. P. Dave, et al. (2003). "Imaging tissue response to electrical and photothermal stimulation with nanometer sensitivity." <u>Lasers in Surgery and Medicine</u> 33(4): 219-225.
		Akkin, T., T. E. Milner, et al. (2002). "Phase-sensitive measurement of birefringence change as an indication of neural functionality and diseases." <u>Lasers in Surgery and Medicine</u> : 6-6.
		Andretzky, P., Lindner, M.W., Hermann, J.M., Schultz, A., Konzog, M., Kiesewetter, F., Haeusler, G. (1999). "Optical coherence tomography by 'spectral radar': Dynamic range estimation and in vivo measurements of skin." <u>Proceedings of SPIE - The International Society for Optical Engineering</u> 3567: Pages 78-87.
		Antcliff, R. J., T. J. ffytche, et al. (2000). "Optical coherence tomography of melanocytoma." <u>American Journal of Ophthalmology</u> 130(6): 845-7.
		Antcliff, R. J., M. R. Stanford, et al. (2000). "Comparison between optical coherence tomography and fundus fluorescein angiography for the detection of cystoid macular edema in patients with uveitis." <u>Ophthalmology</u> 107(3): 593-9.
		Anvari, B., T. E. Milner, et al. (1995). "Selective Cooling of Biological Tissues - Application for Thermally Mediated Therapeutic Procedures." <u>Physics in Medicine and Biology</u> 40(2): 241-252.
		Anvari, B., B. S. Tanenbaum, et al. (1995). "A Theoretical-Study of the Thermal Response of Skin to Cryogen Spray Cooling and Pulsed-Laser Irradiation - Implications for Treatment of Port-Wine Stain Birthmarks." <u>Physics in Medicine and Biology</u> 40(9): 1451-1465
DBA		Arend, O., M. Ruffer, et al. (2000). "Macular circulation in patients with diabetes mellitus with and without arterial hypertension." <u>British Journal of Ophthalmology</u> 84(12): 1392-1396

Examiner

Nemise B. Andersen

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Arimoto, H. and Y. Ohtsuka (1997). "Measurements of the complex degree of spectral coherence by use of a wave-front-folded interferometer." <u>Optics Letters</u> 22(13): 958-960
↑		Azzolini, C., F. Patelli, et al. (2001). "Correlation between optical coherence tomography data and biomicroscopic interpretation of idiopathic macular hole." <u>American Journal of Ophthalmology</u> 132(3): 348-55
		Baba, T., K. Ohno-Matsui, et al. (2002). "Optical coherence tomography of choroidal neovascularization in high myopia." <u>Acta Ophthalmologica Scandinavica</u> 80(1): 82-7.
		Bail, M. A. H., Gerd; Herrmann, Juergen M.; Lindner, Michael W.; Ringler, R. (1996). "Optical coherence tomography with the "spectral radar": fast optical analysis in volume scatterers by short-coherence interferometry." <u>Proc. SPIE</u> , 2925: p. 298-303.
		Baney, D. M. and W. V. Sorin (1993). "Extended-Range Optical Low-Coherence Reflectometry Using a Recirculating Delay Technique." <u>Ieee Photonics Technology Letters</u> 5(9): 1109-1112.
		Baney, D. M., B. Szafraniec, et al. (2002). "Coherent optical spectrum analyzer." <u>Ieee Photonics Technology Letters</u> 14(3): 355-357.
		Barakat, R. (1981). "Bilinear Constraints between Elements of the 4by4 Mueller-Jones Transfer-Matrix of Polarization Theory." <u>Optics Communications</u> 38(3): 159-161.
		Barakat, R. (1993). "Analytic Proofs of the Arago-Fresnel Laws for the Interference of Polarized-Light." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 10(1): 180-185.
		Barbastathis, G. and D. J. Brady (1999). "Multidimensional tomographic imaging using volume holography." <u>Proceedings of the Ieee</u> 87(12): 2098-2120
		Bardal, S., A. Kamal, et al. (1992). "Photoinduced Birefringence in Optical Fibers - a Comparative-Study of Low-Birefringence and High-Birefringence Fibers." <u>Optics Letters</u> 17(6): 411-413.
↓		Barsky, S. H., S. Rosen, et al. (1980). "Nature and Evolution of Port Wine Stains - Computer-Assisted Study." <u>Journal of Investigative Dermatology</u> 74(3): 154-157.
DBA		Barton, J. K., J. A. Izatt, et al. (1999). "Three-dimensional reconstruction of blood vessels from in vivo color Doppler optical coherence tomography images." <u>Dermatology</u> 198(4): 355-361.

Examiner

Date Considered

Nerise B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Barton, J. K., A. Rollins, et al. (2001). "Photothermal coagulation of blood vessels: a comparison of high-speed optical coherence tomography and numerical modelling." <u>Physics in Medicine and Biology</u> 46.
		Barton, J. K., A. J. Welch, et al. (1998). "Investigating pulsed dye laser-blood vessel interaction with color Doppler optical coherence tomography." <u>Optics Express</u> 3.
		Bashkansky, M., M. D. Duncan, et al. (1997). "Subsurface defect detection in ceramics by high-speed high-resolution optical coherent tomography." <u>Optics Letters</u> 22 (1): 61-63.
		Bashkansky, M. and J. Reintjes (2000). "Statistics and reduction of speckle in optical coherence tomography." <u>Optics Letters</u> 25(8): 545-547.
		Baumgartner, A., S. Dichtl, et al. (2000). "Polarization-sensitive optical coherence tomography of dental structures." <u>Caries Research</u> 34(1): 59-69.
		Baumgartner, A., C. K. Hitzengerger, et al. (2000). "Resolution-improved dual-beam and standard optical coherence tomography: a comparison." <u>Graefes Archive for Clinical and Experimental Ophthalmology</u> 238(5): 385-392.
		Baumgartner, A., C. K. Hitzengerger, et al. (1998). "Signal and resolution enhancements in dual beam optical coherence tomography of the human eye." <u>Journal of Biomedical Optics</u> 3(1): 45-54.
		Beaurepaire, E., P. Gleyzes, et al. (1998). <u>Optical coherence microscopy for the in-depth study of biological structures: System based on a parallel detection scheme</u> , Proceedings of SPIE - The International Society for Optical Engineering.
		Beaurepaire, E., L. Moreaux, et al. (1999). "Combined scanning optical coherence and two-photon-excited fluorescence microscopy." <u>Optics Letters</u> 24(14): 969-971.
		Bechara, F. G., T. Gambichler, et al. (2004). "Histomorphologic correlation with routine histology and optical coherence tomography." <u>Skin Research and Technology</u> 10 (3): 169-173.
DBA		Bechmann, M., M. J. Thiel, et al. (2000). "Central corneal thickness determined with optical coherence tomography in various types of glaucoma. [see comments]." <u>British Journal of Ophthalmology</u> 84(11): 1233-7.
		Bek, T. and M. Kandi (2000). "Quantitative anomaloscopy and optical coherence tomography scanning in central serous chorioretinopathy." <u>Acta Ophthalmologica Scandinavica</u> 78(6): 632-7.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Benoit, A. M., K. Naoun, et al. (2001). "Linear dichroism of the retinal nerve fiber layer expressed with Mueller matrices." <u>Applied Optics</u> 40(4): 565-569
↑		Bicout, D., C. Brosseau, et al. (1994). "Depolarization of Multiply Scattered Waves by Spherical Diffusers - Influence of the Size Parameter." <u>Physical Review E</u> 49(2): 1767-1770.
		Blanchot, L., M. Lebec, et al. (1997). <u>Low-coherence in depth microscopy for biological tissues imaging: Design of a real time control system</u> . Proceedings of SPIE - The International Society for Optical Engineering.
		Blumenthal, E. Z. and R. N. Weinreb (2001). "Assessment of the retinal nerve fiber layer in clinical trials of glaucoma neuroprotection. [Review] [36 refs]." <u>Survey of Ophthalmology</u> 45(Suppl 3): S305-12; discussion S332-4.
		Blumenthal, E. Z., J. M. Williams, et al. (2000). "Reproducibility of nerve fiber layer thickness measurements by use of optical coherence tomography." <u>Ophthalmology</u> 107(12): 2278-82.
		Boppart, S. A., B. E. Bouma, et al. (1996). "Imaging developing neural morphology using optical coherence tomography." <u>Journal of Neuroscience Methods</u> 70.
		Boppart, S. A., B. E. Bouma, et al. (1997). "Forward-imaging instruments for optical coherence tomography." <u>Optics Letters</u> 22.
		Boppart, S. A., B. E. Bouma, et al. (1998). "Intraoperative assessment of microsurgery with three-dimensional optical coherence tomography." <u>Radiology</u> 208: 81-86.
		Boppart, S. A., J. Herrmann, et al. (1999). "High-resolution optical coherence tomography-guided laser ablation of surgical tissue." <u>Journal of Surgical Research</u> 82(2): 275-84.
		Bouma, B. E. and J. G. Fujimoto (1996). "Compact Kerr-lens mode-locked resonators." <u>Optics Letters</u> 21.
		Bouma, B. E., L. E. Nelson, et al. (1998). "Optical coherence tomographic imaging of human tissue at 1.55 μ m and 1.81 μ m using Er and Tm-doped fiber sources." <u>Journal of Biomedical Optics</u> 3.
↓		Bouma, B. E., M. Ramaswamy-Paye, et al. (1997). "Compact resonator designs for mode-locked solid-state lasers." <u>Applied Physics B (Lasers and Optics)</u> B65.
DBA		Bouma, B. E. and G. J. Tearney (2002). "Clinical imaging with optical coherence tomography." <u>Academic Radiology</u> 9(8): 942-953.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Bouma, B. E., G. J. Tearney, et al. (1996). "Self-phase-modulated Kerr-lens mode-locked Cr:forsterite laser source for optical coherence tomography." <u>Optics Letters</u> 21(22): 1839.
↑		Bouma, B. E., G. J. Tearney, et al. (2000). "High-resolution imaging of the human esophagus and stomach in vivo using optical coherence tomography." <u>Gastrointestinal Endoscopy</u> 51(4): 467-474.
		Bouma, B. E., G. J. Tearney, et al. (2003). "Evaluation of intracoronary stenting by intravascular optical coherence tomography." <u>Heart</u> 89(3): 317-320.
		Bourquin, S., V. Monterosso, et al. (2000). "Video-rate optical low-coherence reflectometry based on a linear smart detector array." <u>Optics Letters</u> 25(2): 102-104.
		Bourquin, S., P. Seitz, et al. (2001). "Optical coherence topography based on a two-dimensional smart detector array." <u>Optics Letters</u> 26(8): 512-514.
		Bouzid, A., M. A. G. Abushagur, et al. (1995). "Fiber-optic four-detector polarimeter." <u>Optics Communications</u> 118(3-4): 329-334.
		Bowd, C., R. N. Weinreb, et al. (2000). "The retinal nerve fiber layer thickness in ocular hypertensive, normal, and glaucomatous eyes with optical coherence tomography." <u>Archives of Ophthalmology</u> 118(1): 22-6.
		Bowd, C., L. M. Zangwill, et al. (2001). "Detecting early glaucoma by assessment of retinal nerve fiber layer thickness and visual function." <u>Investigative Ophthalmology & Visual Science</u> 42(9): 1993-2003.
		Bowd, C., L. M. Zangwill, et al. (2002). "Imaging of the optic disc and retinal nerve fiber layer: the effects of age, optic disc area, refractive error, and gender." <u>Journal of the Optical Society of America, A, Optics, Image Science, & Vision</u> 19(1): 197-207.
		Brand, S., J. M. Poneros, et al. (2000). "Optical coherence tomography in the gastrointestinal tract." <u>Endoscopy</u> 32(10): 796-803.
		Brezinski, M. E. and J. G. Fujimoto (1999). "Optical coherence tomography: high-resolution imaging in nontransparent tissue." <u>IEEE Journal of Selected Topics in Quantum Electronics</u> 5(4): 1185-1192.
DBA		Brezinski, M. E., G. J. Tearney, et al. (1996). "Imaging of coronary artery microstructure (in vitro) with optical coherence tomography." <u>American Journal of Cardiology</u> 77 (1): 92-93.

Examiner

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Brezinski, M. E., G. J. Tearney, et al. (1996). "Optical coherence tomography for optical biopsy - Properties and demonstration of vascular pathology." <u>Circulation</u> 93(6): 1206-1213.
↑		Brezinski, M. E., G. J. Tearney, et al. (1997). "Assessing atherosclerotic plaque morphology: Comparison of optical coherence tomography and high frequency intravascular ultrasound." <u>Heart</u> 77(5): 397-403.
		Brink, H. B. K. and G. J. Vanbloklund (1988). "Birefringence of the Human Foveal Area Assessed In vivo with Mueller-Matrix Ellipsometry." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 5(1): 49-57.
		Brosseau, C. and D. Bicout (1994). "Entropy Production in Multiple-Scattering of Light by a Spatially Random Medium." <u>Physical Review E</u> 50(6): 4997-5005.
		Burgoyne, C. F., D. E. Mercante, et al. (2002). "Change detection in regional and volumetric disc parameters using longitudinal confocal scanning laser tomography." <u>Ophthalmology</u> 109(3): 455-66.
		Candido, R. and T. J. Allen (2002). "Haemodynamics in microvascular complications in type 1 diabetes." <u>Diabetes-Metabolism Research and Reviews</u> 18(4): 286-304.
		Cense, B., T. C. Chen, et al. (2004). "Thickness and birefringence of healthy retinal nerve fiber layer tissue measured with polarization-sensitive optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 45(8): 2606-2612.
		Cense, B., N. Nassif, et al. (2004). "Ultrahigh-Resolution High-Speed Retinal Imaging Using Spectral-Domain Optical Coherence Tomography." <u>Optics Express</u> 12(11): 2435-2447.
		Chance, B., J. S. Leigh, et al. (1988). "Comparison of Time-Resolved and Time-Unresolved Measurements of Deoxyhemoglobin in Brain." <u>Proceedings of the National Academy of Sciences of the United States of America</u> 85(14): 4971-4975.
		Chang, E. P., D. A. Keedy, et al. (1974). "Ultrastructures of Rabbit Corneal Stroma - Mapping of Optical and Morphological Anisotropies." <u>Biochimica Et Biophysica Acta</u> 343(3): 615-626.
DBA		Chartier, T., A. Hideur, et al. (2001). "Measurement of the elliptical birefringence of single-mode optical fibers." <u>Applied Optics</u> 40(30): 5343-5353.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Chauhan, B. C., J. W. Blanchard, et al. (2000). "Technique for Detecting Serial Topographic Changes in the Optic Disc and Peripapillary Retina Using Scanning Laser Tomograph." <u>Invest Ophthalmol Vis Sci</u> 41: 775-782.
↑		Chen, Z. P., T. E. Milner, et al. (1997). "Optical Doppler tomographic imaging of fluid flow velocity in highly scattering media." <u>Optics Letters</u> 22(1): 64-66.
		Chen, Z. P., T. E. Milner, et al. (1997). "Noninvasive imaging of in vivo blood flow velocity using optical Doppler tomography." <u>Optics Letters</u> 22(14): 1119-1121.
		Chen, Z. P., Y. H. Zhao, et al. (1999). "Optical Doppler tomography." <u>Ieee Journal of Selected Topics in Quantum Electronics</u> 5(4): 1134-1142.
		Cheong, W. F., S. A. Prael, et al. (1990). "A Review of the Optical-Properties of Biological Tissues." <u>Ieee Journal of Quantum Electronics</u> 26(12): 2166-2185.
		Chernikov, S. V., Y. Zhu, et al. (1997). "Supercontinuum self-Q-switched ytterbium fiber laser." <u>Optics Letters</u> 22(5): 298-300.
		Cho, S. H., B. E. Bouma, et al. (1999). "Low-repetition-rate high-peak-power Kerr-lens mode-locked Ti:Al/sub 2/O/sub 3/ laser with a multiple-pass cavity." <u>Optics Letters</u> 24(6): 417-419.
		Choma, M. A., M. V. Sarunic, et al. (2003). "Sensitivity advantage of swept source and Fourier domain optical coherence tomography." <u>Optics Express</u> 11(18): 2183-2189.
		Choma, M. A., C. H. Yang, et al. (2003). "Instantaneous quadrature low-coherence interferometry with 3 x 3 fiber-optic couplers." <u>Optics Letters</u> 28(22): 2162-2164.
		Choplin, N. T. and D. C. Lundy (2001). "The sensitivity and specificity of scanning laser polarimetry in the detection of glaucoma in a clinical setting." <u>Ophthalmology</u> 108 (5): 899-904.
		Christens Barry, W. A., W. J. Green, et al. (1996). "Spatial mapping of polarized light transmission in the central rabbit cornea." <u>Experimental Eye Research</u> 62(6): 651-662.
		Chvapil, M., D. P. Speer, et al. (1984). "Identification of the depth of burn injury by collagen stainability." <u>Plastic & Reconstructive Surgery</u> 73(3): 438-41.
DBA		Cioffi, G. A. (2001). "Three common assumptions about ocular blood flow and glaucoma." <u>Survey of Ophthalmology</u> 45: S325-S331.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Coleman, A. L. (1999). "Glaucoma." <u>Lancet</u> 354(9192): 1803-10.
↑		Collaborative Normal-Tension Glaucoma Study Group (1998). "Comparison of Glaucomatous Progression Between Untreated Patients With Normal Tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures." <u>Am J Ophthalmol</u> 126: 487-97.
		Collaborative Normal-Tension Glaucoma Study Group (1998). "The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma." <u>Am J Ophthalmol</u> 126: 498-505.
		Collaborative Normal-Tension Glaucoma Study Group (2001). "Natural History of Normal-Tension Glaucoma." <u>Ophthalmology</u> 108: 247-253.
		Colston, B. W., M. J. Everett, et al. (1998). "Imaging of hard- and soft-tissue structure in the oral cavity by optical coherence tomography." <u>Applied Optics</u> 37(16): 3582-3585.
		Colston, B. W., U. S. Sathyam, et al. (1998). "Dental OCT." <u>Optics Express</u> 3(6): 230-238.
		Congdon, N. G., D. S. Friedman, et al. (2003). "Important causes of visual impairment in the world today." <u>Jama-Journal of the American Medical Association</u> 290(15): 2057-2060.
		Cregan, R. F., B. J. Mangan, et al. (1999). "Single-mode photonic band gap guidance of light in air." <u>Science</u> 285(5433): 1537-1539.
		DalMolin, M., A. Galtarossa, et al. (1997). "Experimental investigation of linear polarization in high-birefringence single-mode fibers." <u>Applied Optics</u> 36(12): 2526-2528.
		Danielson, B. L. and C. D. Whittenberg (1987). "Guided-Wave Reflectometry with Micrometer Resolution." <u>Applied Optics</u> 26(14): 2836-2842.
		Dave, D. P. and T. E. Milner (2000). "Doppler-angle measurement in highly scattering media." <u>Optics Letters</u> 25(20): 1523-1525.
↓		de Boer, J. F., T. E. Milner, et al. (1998). <u>Two dimensional birefringence imaging in biological tissue using phase and polarization sensitive optical coherence tomography</u> . Trends in Optics and Photonics (TOPS): Advances in Optical Imaging and Photon Migration, Orlando, USA, Optical Society of America, Washington, DC 1998.
DBA		de Boer, J. F., C. E. Saxer, et al. (2001). "Stable carrier generation and phase-resolved digital data processing in optical coherence tomography." <u>Applied Optics</u> 40(31): 5787-5790.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA	S	Degroot, P. and L. Deck (1993). "3-Dimensional Imaging by Sub-Nyquist Sampling of White-Light Interferograms." <u>Optics Letters</u> 18(17): 1462-1464.
↑		Denk, W., J. H. Strickler, et al. (1990). "2-Photon Laser Scanning Fluorescence Microscopy." <u>Science</u> 248(4951): 73-76.
		Descour, M. R., A. H. O. Karkkainen, et al. (2002). "Toward the development of miniaturized Imaging systems for detection of pre-cancer." <u>Ieee Journal of Quantum Electronics</u> 38(2): 122-130.
		Dettwiller, L. (1997). "Polarization state interference: A general investigation." <u>Pure and Applied Optics</u> 6(1): 41-53.
		DiCarlo, C. D., W. P. Roach, et al. (1999). "Comparison of optical coherence tomography imaging of cataracts with histopathology." <u>Journal of Biomedical Optics</u> 4.
		Ding, Z., Y. Zhao, et al. (2002). "Real-time phase-resolved optical coherence tomography and optical Doppler tomography." <u>Optics Express</u> 10(5): 236-245.
		Dobrin, P. B. (1996). "Effect of histologic preparation on the cross-sectional area of arterial rings." <u>Journal of Surgical Research</u> 61(2): 413-5.
		Donohue, D. J., B. J. Stoyanov, et al. (1995). "Numerical Modeling of the Corneas Lamellar Structure and Birefringence Properties." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 12(7): 1425-1438.
		Doornbos, R. M. P., R. Lang, et al. (1999). "The determination of in vivo human tissue optical properties and absolute chromophore concentrations using spatially resolved steady-state diffuse reflectance spectroscopy." <u>Physics in Medicine and Biology</u> 44(4): 967-981.
		Drexler, W., A. Baumgartner, et al. (1997). "Biometric investigation of changes in the anterior eye segment during accommodation." <u>Vision Research</u> 37(19): 2789-2800.
		Drexler, W., A. Baumgartner, et al. (1997). "Submicrometer precision biometry of the anterior segment of the human eye." <u>Investigative Ophthalmology & Visual Science</u> 38(7): 1304-1313.
DBA	↓	Drexler, W., A. Baumgartner, et al. (1998). "Dual beam optical coherence tomography: signal identification for ophthalmologic diagnosis." <u>Journal of Biomedical Optics</u> 3 (1): 55-65.

Examiner

Demise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Drexler, W., O. Findl, et al. (1998). "Partial coherence interferometry: A novel approach to biometry in cataract surgery." <u>American Journal of Ophthalmology</u> 126(4): 524-534.
↑		Drexler, W., O. Findl, et al. (1997). "Clinical feasibility of dual beam optical coherence topography and tomography for ophthalmologic diagnosis." <u>Investigative Ophthalmology & Visual Science</u> 38(4): 1038-1038.
		Drexler, W., C. K. Hitzenberger, et al. (1998). "Investigation of dispersion effects in ocular media by multiple wavelength partial coherence interferometry." <u>Experimental Eye Research</u> 66(1): 25-33.
		Drexler, W., C. K. Hitzenberger, et al. (1996). "(Sub)micrometer precision biometry of the human eye by optical coherence tomography and topography." <u>Investigative Ophthalmology & Visual Science</u> 37(3): 4374-4374.
		Drexler, W., C. K. Hitzenberger, et al. (1995). "Measurement of the Thickness of Fundus Layers by Partial Coherence Tomography." <u>Optical Engineering</u> 34(3): 701-710.
		Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography." <u>Nature Medicine</u> 7(4): 502-507.
		Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography. [erratum appears in Nat Med 2001 May;7(5):636.]." <u>Nature Medicine</u> 7(4): 502-7.
		Drexler, W., H. Sattmann, et al. (2003). "Enhanced visualization of macular pathology with the use of ultrahigh-resolution optical coherence tomography." <u>Archives of Ophthalmology</u> 121(5): 695-706.
		Drexler, W., D. Stamper, et al. (2001). "Correlation of collagen organization with polarization sensitive imaging of in vitro cartilage: implications for osteoarthritis." <u>Journal of Rheumatology</u> 28(6): 1311-8.
↓		Droog, E. J., W. Steenbergen, et al. (2001). "Measurement of depth of burns by laser Doppler perfusion imaging." <u>Burns</u> 27(6): 561-8.
DBA		Dubois, A., K. Grieve, et al. (2004). "Ultrahigh-resolution full-field optical coherence tomography." <u>Applied Optics</u> 43(14): 2874-2883.

Examiner

Date Considered

Nemise B. Andersen

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Dubois, A., L. Vabre, et al. (2002). "High-resolution full-field optical coherence tomography with a Linnik microscope." <u>Applied Optics</u> 41(4): 805-812.
↑		Ducros, M., M. Laubscher, et al. (2002). "Parallel optical coherence tomography in scattering samples using a two-dimensional smart-pixel detector array." <u>Optics Communications</u> 202(1-3): 29-35.
		Ducros, M. G., J. D. Marsack, et al. (2001). "Primate retina imaging with polarization-sensitive optical coherence tomography." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 18(12): 2945-2956.
		Duncan, A., J. H. Meek, et al. (1995). "Optical Pathlength Measurements on Adult Head, Calf and Forearm and the Head of the Newborn-Infant Using Phase-Resolved Optical Spectroscopy." <u>Physics in Medicine and Biology</u> 40(2): 295-304.
		Eigensee, A., G. Haeusler, et al. (1996). "New method of short-coherence interferometry in human skin (in vivo) and in solid volume scatterers." <u>Proceedings of SPIE - The International Society for Optical Engineering</u> 2925: 169-178.
		Eisenbeiss, W., J. Marotz, et al. (1999). "Reflection-optical multispectral imaging method for objective determination of burn depth." <u>Burns</u> 25(8): 697-704.
		Elbaum, M., M. King, et al. (1972). "Wavelength-Diversity Technique for Reduction of Speckle Size." <u>Journal of the Optical Society of America</u> 62(5): 732-&.
		Ervin, J. C., H. G. Lemij, et al. (2002). "Clinician change detection viewing longitudinal stereophotographs compared to confocal scanning laser tomography in the LSU Experimental Glaucoma (LEG) Study." <u>Ophthalmology</u> 109(3): 467-81.
↓		Essenpreis, M., C. E. Elwell, et al. (1993). "Spectral Dependence of Temporal Point Spread Functions in Human Tissues." <u>Applied Optics</u> 32(4): 418-425.
DBA		Eun, H. C. (1995). "Evaluation of skin blood flow by laser Doppler flowmetry. [Review] [151 refs]." <u>Clinics in Dermatology</u> 13(4): 337-47.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Evans, J. A., J. M. Poneros, et al. (2004). "Application of a histopathologic scoring system to optical coherence tomography (OCT) images to identify high-grade dysplasia in Barrett's esophagus." <u>Gastroenterology</u> 126(4): A51-A51.
↑		Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "In vivo OCT imaging of hard and soft tissue of the oral cavity." <u>Optics Express</u> 3(6): 239-250.
		Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "Endoscopic applications of optical coherence tomography." <u>Optics Express</u> 3(6): 257-270.
		Fercher, A. F., W. Drexler, et al. (1997). "Optical ocular tomography." <u>Neuro- Ophthalmology</u> 18(2): 39-49.
		Fercher, A. F., W. Drexler, et al. (1994). <u>Measurement of optical distances by optical spectrum modulation</u> . Proceedings of SPIE - The International Society for Optical Engineering.
		Fercher, A. F., W. Drexler, et al. (2003). "Optical coherence tomography - principles and applications." <u>Reports on Progress in Physics</u> 66(2): 239-303.
		Fercher, A. F., C. Hitzenberger, et al. (1991). "Measurement of Intraocular Optical Distances Using Partially Coherent Laser-Light." <u>Journal of Modern Optics</u> 38(7): 1327-1333.
		Fercher, A. F., C. K. Hitzenberger, et al. (1996). <u>Ocular partial coherence interferometry</u> . Proceedings of SPIE - The International Society for Optical Engineering.
		Fercher, A. F., C. K. Hitzenberger, et al. (1993). "In-Vivo Optical Coherence Tomography." <u>American Journal of Ophthalmology</u> 116(1): 113-115.
		Fercher, A. F., C. K. Hitzenberger, et al. (1994). <u>In-vivo dual-beam optical coherence tomography</u> . Proceedings of SPIE - The International Society for Optical Engineering.
		Fercher, A. F., C. K. Hitzenberger, et al. (1995). "Measurement of Intraocular Distances by Backscattering Spectral Interferometry." <u>Optics Communications</u> 117(1-2): 43-48.
DBA		

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Fercher, A. F., C. K. Hitzenberger, et al. (2000). "A thermal light source technique for optical coherence tomography." <u>Optics Communications</u> 185(1-3): 57-64.
↑		Fercher, A. F., C. K. Hitzenberger, et al. (2001). "Numerical dispersion compensation for Partial Coherence Interferometry and Optical Coherence Tomography." <u>Optics Express</u> 9(12): 610-615.
		Fercher, A. F., C. K. Hitzenberger, et al. (2002). "Dispersion compensation for optical coherence tomography depth- scan signals by a numerical technique." <u>Optics Communications</u> 204(1-6): 67-74.
		Fercher, A. F., H. C. Li, et al. (1993). "Slit Lamp Laser-Doppler Interferometer." <u>Lasers in Surgery and Medicine</u> 13(4): 447-452.
		Fercher, A. F., K. Mengedocht, et al. (1988). "Eye-Length Measurement by Interferometry with Partially Coherent-Light." <u>Optics Letters</u> 13(3): 186-188.
		Ferro, P., M. Haelterman, et al. (1991). "All-Optical Polarization Switch with Long Low-Birefringence Fiber." <u>Electronics Letters</u> 27(16): 1407-1408.
		Fetterman, M. R., D. Goswami, et al. (1998). "Ultrafast pulse shaping: amplification and characterization." <u>Optics Express</u> 3(10): 366-375.
		Findl, O., W. Drexler, et al. (2001). "Improved prediction of intraocular lens power using partial coherence interferometry." <u>Journal of Cataract and Refractive Surgery</u> 27 (6): 861-867.
		Fork, R. L., C. H. B. Cruz, et al. (1987). "Compression of Optical Pulses to 6 Femtoseconds by Using Cubic Phase Compensation." <u>Optics Letters</u> 12(7): 483-485.
↓		Foschini, G. J. and C. D. Poole (1991). "Statistical-Theory of Polarization Dispersion in Single-Mode Fibers." <u>Journal of Lightwave Technology</u> 9(11): 1439-1456.
DBA		Francia, C., F. Bruyere, et al. (1998). "PMD second-order effects on pulse propagation in single-mode optical fibers." <u>Ieee Photonics Technology Letters</u> 10(12): 1739-1741

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Fried, D., R. E. Glena, et al. (1995). "Nature of Light-Scattering in Dental Enamel and Dentin at Visible and near-Infrared Wavelengths." <u>Applied Optics</u> 34(7): 1278-1285.
↑		Fujimoto, J. G., M. E. Brezinski, et al. (1995). "Optical Biopsy and Imaging Using Optical Coherence Tomography." <u>Nature Medicine</u> 1(9): 970-972.
		Fukasawa, A. and H. Iijima (2002). "Optical coherence tomography of choroidal osteoma." <u>American Journal of Ophthalmology</u> 133(3): 419-21.
		Fymat, A. L. (1981). "High-Resolution Interferometric Spectrophotopolarimetry." <u>Optical Engineering</u> 20(1): 25-30.
		Galtarossa, A., L. Palmieri, et al. (2000). "Statistical characterization of fiber random birefringence." <u>Optics Letters</u> 25(18): 1322-1324.
		Galtarossa, A., L. Palmieri, et al. (2000). "Measurements of beat length and perturbation length in long single-mode fibers." <u>Optics Letters</u> 25(6): 384-386.
		Gandjbakhche, A. H., P. Mills, et al. (1994). "Light-Scattering Technique for the Study of Orientation and Deformation of Red-Blood-Cells in a Concentrated Suspension." <u>Applied Optics</u> 33(6): 1070-1078.
		Garcia, N. and M. Nieto-Vesperinas (2002). "Left-handed materials do not make a perfect lens." <u>Physical Review Letters</u> 88(20).
		Gelikonov, V. M., G. V. Gelikonov, et al. (1995). "Coherent Optical Tomography of Microscopic Inhomogeneities in Biological Tissues." <u>Jetp Letters</u> 61(2): 158-162.
		George, N. and A. Jain (1973). "Speckle Reduction Using Multiple Tones of Illumination." <u>Applied Optics</u> 12(6): 1202-1212.
↓		Gibson, G. N., R. Klank, et al. (1996). "Electro-optically cavity-dumped ultrashort-pulse Ti:sapphire oscillator." <u>Optics Letters</u> 21(14): 1055.
DBA		Gil, J. J. (2000). "Characteristic properties of Mueller matrices." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 17(2): 328-334.

Examiner

Dennis B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Gil, J. J. and E. Bernabeu (1987). "Obtainment of the Polarizing and Retardation Parameters of a Nondepolarizing Optical-System from the Polar Decomposition of Its Mueller Matrix." <u>Optik</u> 76(2): 67-71.
↑		Gladkova, N. D., G. A. Petrova, et al. (2000). "In vivo optical coherence tomography imaging of human skin: norm and pathology." <u>Skin Research and Technology</u> 6 (1): 6-16.
		Glaessl, A., A. G. Schreyer, et al. (2001). "Laser surgical planning with magnetic resonance imaging-based 3-dimensional reconstructions for intralesional Nd : YAG laser therapy of a venous malformation of the neck." <u>Archives of Dermatology</u> 137(10): 1331-1335.
		Gloesmann, M., B. Hermann, et al. (2003). "Histologic correlation of pig retina radial stratification with ultrahigh-resolution optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 44(4): 1696-1703.
		Goldberg, L. and D. Mehuys (1994). "High-Power Superluminescent Diode Source." <u>Electronics Letters</u> 30(20): 1682-1684.
		Goldsmith, J. A., Y. Li, et al. (2005). "Anterior chamber width measurement by high speed optical coherence tomography." <u>Ophthalmology</u> 112(2): 238-244.
		Goldstein, L. E., J. A. Muffat, et al. (2003). "Cytosolic beta-amyloid deposition and supranuclear cataracts in lenses from people with Alzheimer's disease." <u>Lancet</u> 361(9365): 1258-1265.
		Golubovic, B., B. E. Bouma, et al. (1996). "Thin crystal, room-temperature Cr/sup 4 +/:forstefite laser using near-infrared pumping." <u>Optics Letters</u> 21(24): 1993-1995.
		Gonzalez, S. and Z. Tannous (2002). "Real-time, in vivo confocal reflectance microscopy of basal-cell carcinoma." <u>Journal of the American Academy of Dermatology</u> 47(6): 869-874.
		Gordon, M. O. and M. A. Kass (1999). "The Ocular Hypertension Treatment Study: design and baseline description of the participants." <u>Archives of Ophthalmology</u> 117(5): 573-83.
↓ DBA		Grayson, T. P., J. R. Torgerson, et al. (1994). "Observation of a Nonlocal Pancharatnam Phase-Shift in the Process of Induced Coherence without Induced Emission." <u>Physical Review A</u> 49(1): 626-628.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Greaney, M. J., D. C. Hoffman, et al. (2002). "Comparison of optic nerve imaging methods to distinguish normal eyes from those with glaucoma." <u>Investigative Ophthalmology & Visual Science</u> 43(1): 140-5.
↑		Greenfield, D. S., H. Bagga, et al. (2003). "Macular thickness changes in glaucomatous optic neuropathy detected using optical coherence tomography." <u>Archives of Ophthalmology</u> 121(1): 41-46.
		Greenfield, D. S., R. W. Knighton, et al. (2000). "Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry." <u>American Journal of Ophthalmology</u> 129(6): 715-722.
		Griffin, R. A., D. D. Sampson, et al. (1995). "Coherence Coding for Photonic Code-Division Multiple-Access Networks." <u>Journal of Lightwave Technology</u> 13(9): 1826-1837.
		Guedes, V., J. S. Schuman, et al. (2003). "Optical coherence tomography measurement of macular and nerve fiber layer thickness in normal and glaucomatous human eyes." <u>Ophthalmology</u> 110(1): 177-189.
		Gueugniaud, P. Y., H. Carsin, et al. (2000). "Current advances in the initial management of major thermal burns. [Review] [76 refs]." <u>Intensive Care Medicine</u> 26(7): 848-56.
		Guido, S. and R. T. Tranquillo (1993). "A Methodology for the Systematic and Quantitative Study of Cell Contact Guidance in Oriented Collagen Gels - Correlation of Fibroblast Orientation and Gel Birefringence." <u>Journal of Cell Science</u> 105: 317-331.
		Gurses-Ozden, R., H. Ishikawa, et al. (1999). "Increasing sampling density improves reproducibility of optical coherence tomography measurements." <u>Journal of Glaucoma</u> 8(4): 238-41.
		Guzzi, R. (1998). "Scattering Theory from Homogeneous and Coated Spheres." 1-11.
↓		Haberland, U. B., Vladimir; Schmitt, Hans J. (1996). "Optical coherent tomography of scattering media using electrically tunable near-infrared semiconductor laser." <u>Applied Optics</u> Draft Copy.
DBA		Haberland, U. R., Walter; Blazek, Vladimir; Schmitt, Hans J. (1995). "Investigation of highly scattering media using near-infrared continuous wave tunable semiconductor laser." <u>Proc. SPIE</u> , 2389: 503-512.

Examiner

Demise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

NOBA		Hale, G. M. and M. R. Querry (1973). "Optical-Constants of Water in 200-Nm to 200-Mum Wavelength Region." <u>Applied Optics</u> 12(3): 555-563.
↑		Hammer, D. X., R. D. Ferguson, et al. (2002). "Image stabilization for scanning laser ophthalmoscopy." <u>Optics Express</u> 10(26): 1542.
		Hara, T., Y. Ooi, et al. (1989). "Transfer Characteristics of the Microchannel Spatial Light-Modulator." <u>Applied Optics</u> 28(22): 4781-4786.
		Harland, C. C., S. G. Kale, et al. (2000). "Differentiation of common benign pigmented skin lesions from melanoma by high-resolution ultrasound." <u>British Journal of Dermatology</u> 143(2): 281-289.
		Hartl, I., X. D. Li, et al. (2001). "Ultrahigh-resolution optical coherence tomography using continuum generation in an air-silica microstructure optical fiber." <u>Optics Letters</u> 26(9): 608-610.
		Hassenstein, A., A. A. Bialasiewicz, et al. (2000). "Optical coherence tomography in uveitis patients." <u>American Journal of Ophthalmology</u> 130(5): 669-70.
		Hattenhauer, M. G., D. H. Johnson, et al. (1998). "The probability of blindness from open-angle glaucoma. [see comments]." <u>Ophthalmology</u> 105(11): 2099-104.
		Hausler, G., J. M. Herrmann, et al. (1996). "Observation of light propagation in volume scatterers with 10(11)-fold slow motion." <u>Optics Letters</u> 21(14): 1087-1089.
		Hazebroek, H. F. and A. A. Holscher (1973). "Interferometric Ellipsometry." <u>Journal of Physics E-Scientific Instruments</u> 6(9): 822-826.
		Hazebroek, H. F. and W. M. Visser (1983). "Automated Laser Interferometric Ellipsometry and Precision Reflectometry." <u>Journal of Physics E-Scientific Instruments</u> 16(7): 654-661.
↓		
NOBA		He, Z. Y., N. Mukohzaka, et al. (1997). "Selective image extraction by synthesis of the coherence function using two-dimensional optical lock-in amplifier with microchannel spatial light modulator." <u>Ieee Photonics Technology Letters</u> 9(4): 514-516.

Examiner

Date Considered

Denise B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Hee, M. R., J. A. Izatt, et al. (1993). "Femtosecond Transillumination Optical Coherence Tomography." <u>Optics Letters</u> 18(12): 950-952.
↑		Hee, M. R., J. A. Izatt, et al. (1995). "Optical coherence tomography of the human retina." <u>Archives of Ophthalmology</u> 113(3): 325-32.
		Hee, M. R., C. A. Puliafito, et al. (1998). "Topography of diabetic macular edema with optical coherence tomography." <u>Ophthalmology</u> 105(2): 360-70.
		Hee, M. R., C. A. Puliafito, et al. (1995). "Quantitative assessment of macular edema with optical coherence tomography." <u>Archives of Ophthalmology</u> 113(8): 1019-29.
		Hellmuth, T. and M. Welle (1998). "Simultaneous measurement of dispersion, spectrum, and distance with a fourier transform spectrometer." <u>Journal of Biomedical Optics</u> 3(1): 7-11.
		Hemenger, R. P. (1989). "Birefringence of a medium of tenuous parallel cylinders." <u>APPLIED OPTICS</u> 28(18): 4030-4034.
		Henry, M. (1981). "Fresnel-Arago Laws for Interference in Polarized-Light - Demonstration Experiment." <u>American Journal of Physics</u> 49(7): 690-691.
		Herz, P. R., Y. Chen, et al. (2004). "Micromotor endoscope catheter for in vivo, ultrahigh-resolution optical coherence tomography." <u>Optics Letters</u> 29(19): 2261-2263.
		Hirakawa, H., H. Iijima, et al. (1999). "Optical coherence tomography of cystoid macular edema associated with retinitis pigmentosa." <u>American Journal of Ophthalmology</u> 128(2): 185-91.
		Hitzenberger, C. K., A. Baumgartner, et al. (1994). "Interferometric Measurement of Corneal Thickness with Micrometer Precision." <u>American Journal of Ophthalmology</u> 118(4): 468-476.
DBA		Hitzenberger, C. K., A. Baumgartner, et al. (1999). "Dispersion effects in partial coherence interferometry: Implications for intraocular ranging." <u>Journal of Biomedical Optics</u> 4(1): 144-151.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Hitzenberger, C. K., A. Baumgartner, et al. (1998). "Dispersion induced multiple signal peak splitting in partial coherence interferometry." <u>Optics Communications</u> 154 (4): 179-185.
		Hitzenberger, C. K., M. Danner, et al. (1999). "Measurement of the spatial coherence of superluminescent diodes." <u>Journal of Modern Optics</u> 46(12): 1763-1774.
		Hitzenberger, C. K. and A. F. Fercher (1999). "Differential phase contrast in optical coherence tomography." <u>Optics Letters</u> 24(9): 622-624.
		Hitzenberger, C. K., M. Sticker, et al. (2001). "Differential phase measurements in low-coherence interferometry without 2 pi ambiguity." <u>Optics Letters</u> 26(23): 1864-1866.
		Hoeling, B. M., A. D. Fernandez, et al. (2000). "An optical coherence microscope for 3-dimensional imaging in developmental biology." <u>Optics Express</u> 6(7): 136-146.
		Hoerauf, H., C. Scholz, et al. (2002). "Transscleral optical coherence tomography: a new imaging method for the anterior segment of the eye." <u>Archives of Ophthalmology</u> 120(6): 816-9.
		Hoffmann, K., M. Happe, et al. (1998). "Optical coherence tomography (OCT) in dermatology." <u>Journal of Investigative Dermatology</u> 110(4): 583-583.
		Hoh, S. T., D. S. Greenfield, et al. (2000). "Optical coherence tomography and scanning laser polarimetry in normal, ocular hypertensive, and glaucomatous eyes." <u>American Journal of Ophthalmology</u> 129(2): 129-35.
		Hohenleutner, U., M. Hilbert, et al. (1995). "Epidermal Damage and Limited Coagulation Depth with the Flashlamp-Pumped Pulsed Dye-Laser - a Histochemical-Study." <u>Journal of Investigative Dermatology</u> 104(5): 798-802.
		Holland, A. J. A., H. C. O. Martin, et al. (2002). "Laser Doppler imaging prediction of burn wound outcome in children." <u>Burns</u> 28(1): 11-17.
DBA		Hotate, K. and T. Okugawa (1994). "Optical Information-Processing by Synthesis of the Coherence Function." <u>Journal of Lightwave Technology</u> 12(7): 1247-1255.

Examiner

Nemise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Hourdakis, C. J. and A. Perris (1995). "A Monte-Carlo Estimation of Tissue Optical-Properties for Use in Laser Dosimetry." <u>Physics in Medicine and Biology</u> 40(3): 351-364.
↑		Hu, Z., F. Li, et al. (2000). "Wavelength-tunable narrow-linewidth semiconductor fiber-ring laser." <u>IEEE Photonics Technology Letters</u> 12(8): 977-979.
		Huang, F., W. Yang, et al. (2001). "Quadrature spectral interferometric detection and pulse shaping." <u>Optics Letters</u> 26(6): 382-384.
		Huang, X. R. and R. W. Knighton (2002). "Linear birefringence of the retinal nerve fiber layer measured in vitro with a multispectral imaging micropolarimeter." <u>Journal of Biomedical Optics</u> 7(2): 199-204.
		Huber, R., M. Wojtkowski, et al. (2005). "Amplified, frequency swept lasers for frequency domain reflectometry and OCT imaging: design and scaling principles." <u>Optics Express</u> 13(9): 3513-3528.
		Hunter, D. G., J. C. Sandruck, et al. (1999). "Mathematical modeling of retinal birefringence scanning." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 16(9): 2103-2111.
		Hurwitz, H. H. and R. C. Jones (1941). "A new calculus for the treatment of optical systems II. Proof of three general equivalence theorems." <u>Journal of the Optical Society of America</u> 31(7): 493-499.
		Huttner, B., C. De Barros, et al. (1999). "Polarization-induced pulse spreading in birefringent optical fibers with zero differential group delay." <u>Optics Letters</u> 24(6): 370-372.
		Huttner, B., B. Gisin, et al. (1999). "Distributed PMD measurement with a polarization-OTDR in optical fibers." <u>Journal of Lightwave Technology</u> 17(10): 1843-1848.
✓		Huttner, B., J. Reecht, et al. (1998). "Local birefringence measurements in single-mode fibers with coherent optical frequency-domain reflectometry." <u>Ieee Photonics Technology Letters</u> 10(10): 1458-1460.
DBA		Hyde, S. C. W., N. P. Barry, et al. (1995). "Sub-100-Mu-M Depth-Resolved Holographic Imaging through Scattering Media in the near-Infrared." <u>Optics Letters</u> 20(22): 2330-2332.

Examiner

Date Considered

Denise B. Anderson

4/11/04

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

NBA		Hyde, S. C. W., N. P. Barry, et al. (1995). "Depth-Resolved Holographic Imaging through Scattering Media by Photorefraction." <u>Optics Letters</u> 20(11): 1331-1333.
↑		Ifimia, N. V., B. E. Bouma, et al. (2004). "Adaptive ranging for optical coherence tomography." <u>Optics Express</u> 12(17): 4025-4034.
		Iida, T., N. Hagimura, et al. (2000). "Evaluation of central serous chorioretinopathy with optical coherence tomography." <u>American Journal of Ophthalmology</u> 129(1): 16-20.
		Imai, M., H. Iijima, et al. (2001). "Optical coherence tomography of tractional macular elevations in eyes with proliferative diabetic retinopathy. [republished in Am J Ophthalmol. 2001 Sep;132(3):458-61 ; 11530091.]." <u>American Journal of Ophthalmology</u> 132(1): 81-4.
		Indebetouw, G. and P. Klysubun (2000). "Imaging through scattering media with depth resolution by use of low-coherence gating in spatiotemporal digital holography." <u>Optics Letters</u> 25(4): 212-214.
		Ip, M. S., B. J. Baker, et al. (2002). "Anatomical outcomes of surgery for idiopathic macular hole as determined by optical coherence tomography." <u>Archives of Ophthalmology</u> 120(1): 29-35.
		Ismail, R., V. Tanner, et al. (2002). "Optical coherence tomography imaging of severe commotio retinae and associated macular hole." <u>British Journal of Ophthalmology</u> 86(4): 473-4.
		Izatt, J. A., M. R. Hee, et al. (1994). "Optical Coherence Microscopy in Scattering Media." <u>Optics Letters</u> 19(8): 590-592.
		Izatt, J. A., M. R. Hee, et al. (1994). "Micrometer-scale resolution imaging of the anterior eye in vivo with optical coherence tomography." <u>Archives of Ophthalmology</u> 112 (12): 1584-9.
		Izatt, J. A., M. D. Kulkarni, et al. (1997). "In vivo bidirectional color Doppler flow imaging of picoliter blood volumes using optical coherence tomography." <u>Optics Letters</u> 22(18): 1439-1441.
NBA		Izatt, J. A., M. D. Kulkarni, et al. (1996). "Optical coherence tomography and microscopy in gastrointestinal tissues." <u>IEEE Journal of Selected Topics in Quantum Electronics</u> 2(4): 1017.

Examiner

Dennis B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Jacques, S. L., J. S. Nelson, et al. (1993). "Pulsed Photothermal Radiometry of Port-Wine-Stain Lesions." <u>Applied Optics</u> 32(13): 2439-2446.
		Jacques, S. L., J. R. Roman, et al. (2000). "Imaging superficial tissues with polarized light." <u>Lasers in Surgery and Medicine</u> 26(2): 119-129.
		Jang, I. K., B. E. Bouma, et al. (2002). "Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: Comparison with intravascular ultrasound." <u>Journal of the American College of Cardiology</u> 39(4): 604-609.
		Jang, I. K., B. D. MacNeill, et al. (2002). "In-vivo characterization of coronary plaques in patients with ST elevation acute myocardial infarction using optical coherence tomography (OCT)." <u>Circulation</u> 106(19): 698-698 3440 Suppl. S.,
		Jang, I. K., G. J. Tearney, et al. (2000). "Comparison of optical coherence tomography and intravascular ultrasound for detection of coronary plaques with large lipid-core in living patients." <u>Circulation</u> 102(18): 509-509.
		Jeng, J. C., A. Bridgeman, et al. (2003). "Laser Doppler imaging determines need for excision and grafting in advance of clinical judgment: a prospective blinded trial." <u>Burns</u> 29(7): 665-670.
		Jesser, C. A., S. A. Boppart, et al. (1999). "High resolution imaging of transitional cell carcinoma with optical coherence tomography: feasibility for the evaluation of bladder pathology." <u>British Journal of Radiology</u> 72: 1170-1176.
		Johnson, C. A., J. L. Keltner, et al. (2002). "Baseline visual field characteristics in the ocular hypertension treatment study." <u>Ophthalmology</u> 109(3): 432-7.
		Jones, R. C. (1941). "A new calculus for the treatment of optical systems III. The Sohncke theory of optical activity." <u>Journal of the Optical Society of America</u> 31 (7): 500-503.
DBA		Jones, R. C. (1941). "A new calculus for the treatment of optical systems I. Description and discussion of the calculus." <u>Journal of the Optical Society of America</u> 31(7): 488-493.

Examiner

Wenise B Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017




Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA 		Jones, R. C. (1942). "A new calculus for the treatment of optical systems. IV." <u>Journal of the Optical Society of America</u> 32(8): 486-493.
		Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .6. Experimental Determination of the Matrix." <u>Journal of the Optical Society of America</u> 37(2): 110-112.
		Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .5. A More General Formulation, and Description of Another Calculus." <u>Journal of the Optical Society of America</u> 37(2): 107-110.
		Jones, R. C. (1948). "A New Calculus for the Treatment of Optical Systems .7. Properties of the N-Matrices." <u>Journal of the Optical Society of America</u> 38(8): 671-685.
		Jones, R. C. (1956). "New Calculus for the Treatment of Optical Systems .8. Electromagnetic Theory." <u>Journal of the Optical Society of America</u> 46(2): 126-131.
		Jopson, R. M., L. E. Nelson, et al. (1999). "Measurement of second-order polarization-mode dispersion vectors in optical fibers." <u>Ieee Photonics Technology Letters</u> 11 (9): 1153-1155.
		Jost, B. M., A. V. Sergienko, et al. (1998). "Spatial correlations of spontaneously down-converted photon pairs detected with a single-photon-sensitive CCD camera." <u>Optics Express</u> 3(2): 81-88.
		Kaplan, B., E. Compain, et al. (2000). "Phase-modulated Mueller ellipsometry characterization of scattering by latex sphere suspensions." <u>Applied Optics</u> 39 (4): 629-636.
DBA		Kass, M. A., D. K. Heuer, et al. (2002). "The Ocular Hypertension Treatment Study: a randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma." <u>Archives of Ophthalmology</u> 120(6): 701-13; discussion 829-30.
		Kasuga, Y., J. Arai, et al. (2000). "Optical coherence tomography to confirm early closure of macular holes." <u>American Journal of Ophthalmology</u> 130(5): 675-6.
		Kaufman, T., S. N. Lusthaus, et al. (1990). "Deep Partial Skin Thickness Burns - a Reproducible Animal-Model to Study Burn Wound-Healing." <u>Burns</u> 16(1): 13-16.

Examiner

Date Considered

Wesley B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Kemp, N. J., J. Park, et al. (2005). "High-sensitivity determination of birefringence in turbid media with enhanced polarization-sensitive optical coherence tomography." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 22(3): 552-560.
↑		Kerrigan-Baumrind, L. A., H. A. Quigley, et al. (2000). "Number of ganglion cells in glaucoma eyes compared with threshold visual field tests in the same persons." <u>Investigative Ophthalmology & Visual Science</u> 41(3): 741-8.
		Kesen, M. R., G. L. Spaeth, et al. (2002). "The Heidelberg Retina Tomograph vs clinical impression in the diagnosis of glaucoma." <u>American Journal of Ophthalmology</u> 133(5): 613-6.
		Kienle, A. and R. Hibst (1995). "A New Optimal Wavelength for Treatment of Port-Wine Stains." <u>Physics in Medicine and Biology</u> 40(10): 1559-1576.
		Kienle, A., L. Lilge, et al. (1996). "Spatially resolved absolute diffuse reflectance measurements for noninvasive determination of the optical scattering and absorption coefficients of biological tissue." <u>Applied Optics</u> 35(13): 2304-2314.
		Kim, B. Y. and S. S. Choi (1981). "Analysis and Measurement of Birefringence in Single-Mode Fibers Using the Backscattering Method." <u>Optics Letters</u> 6(11): 578-580.
		Kimel, S., L. O. Svaasand, et al. (1994). "Differential Vascular-Response to Laser Photothermolysis." <u>Journal of Investigative Dermatology</u> 103(5): 693-700.
		Kloppenber, F. W. H., G. Beerhuizen, et al. (2001). "Perfusion of burn wounds assessed by Laser Doppler Imaging is related to burn depth and healing time." <u>Burns</u> 27(4): 359-363.
		Knighton, R. W. and X. R. Huang (2002). "Analytical methods for scanning laser polarimetry." <u>Optics Express</u> 10(21): 1179-1189.
↓		Knighton, R. W., X. R. Huang, et al. (2002). "Analytical model of scanning laser polarimetry for retinal nerve fiber layer assessment." <u>Investigative Ophthalmology & Visual Science</u> 43(2): 383-392.
DBA		Knuettel, A. R. S., Joseph M.: Shay, M.; Knutson, Jay R. (1994). "Stationary low-coherence light imaging and spectroscopy using a CCD camera." <u>Proc. SPIE</u> , Vol. 2135: p. 239-250.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

NOBA ↑		Knuttel, A. and M. Boehlau-Godau (2000). "Spatially confined and temporally resolved refractive index and scattering evaluation in human skin performed with optical coherence tomography." <u>Journal of Biomedical Optics</u> 5(1): 83-92.
		Knuttel, A. and J. M. Schmitt (1993). "Stationary Depth-Profiling Reflectometer Based on Low-Coherence Interferometry." <u>Optics Communications</u> 102(3-4): 193-198.
		Knuttel, A., J. M. Schmitt, et al. (1994). "Low-Coherence Reflectometry for Stationary Lateral and Depth Profiling with Acoustooptic Deflectors and a Ccd Camera." <u>Optics Letters</u> 19(4): 302-304.
		Kobayashi, M., H. Hanafusa, et al. (1991). "Polarization-Independent Interferometric Optical-Time-Domain Reflectometer." <u>Journal of Lightwave Technology</u> 9(5): 623-628.
		Kolios, M. C., M. D. Sherar, et al. (1995). "Large Blood-Vessel Cooling in Heated Tissues - a Numerical Study." <u>Physics in Medicine and Biology</u> 40(4): 477-494.
		Koozekanani, D., K. Boyer, et al. (2001). "Retinal thickness measurements from optical coherence tomography using a Markov boundary model." <u>Ieee Transactions on Medical Imaging</u> 20(9): 900-916.
		Kop, R. H. J. and R. Sprik (1995). "Phase-sensitive interferometry with ultrashort optical pulses." <u>Review of Scientific Instruments</u> 66(12): 5459-5463.
		Kramer, R. Z., J. Bella, et al. (1999). "Sequence dependent conformational variations of collagen triple-helical structure." <u>Nature Structural Biology</u> 6(5): 454-7.
		Kulkarni, M. D., T. G. van Leeuwen, et al. (1998). "Velocity-estimation accuracy and frame-rate limitations in color Doppler optical coherence tomography." <u>Optics Letters</u> 23(13): 1057-1059.
NOBA ↓		Kwon, Y. H., C. S. Kim, et al. (2001). "Rate of visual field loss and long-term visual outcome in primary open-angle glaucoma." <u>American Journal of Ophthalmology</u> 132(1): 47-56.
		Kwong, K. F., D. Yankelevich, et al. (1993). "400-Hz Mechanical Scanning Optical Delay-Line." <u>Optics Letters</u> 18(7): 558-560.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

WBA		Landers, J., I. Goldberg, et al. (2002). "Analysis of risk factors that may be associated with progression from ocular hypertension to primary open angle glaucoma." <u>Clin Experiment Ophthalmology</u> 30(4): 242-7.
↑		Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. <u>Stress of Life</u> . 851: 169-178.
		Laszlo, A. and A. Venetianer (1998). "Heat resistance in mammalian cells: lessons and challenges. [Review] [52 refs]." <u>Annals of the New York Academy of Sciences</u> 851: 169-78.
		Laufer, J., R. Simpson, et al. (1998). "Effect of temperature on the optical properties of ex vivo human dermis and subdermis." <u>Physics in Medicine and Biology</u> 43(9): 2479-2489.
		Lederer, D. E., J. S. Schuman, et al. (2003). "Analysis of macular volume in normal and glaucomatous eyes using optical coherence tomography." <u>American Journal of Ophthalmology</u> 135(6): 838-843.
		Lee, P. P., Z. W. Feldman, et al. (2003). "Longitudinal prevalence of major eye diseases." <u>Archives of Ophthalmology</u> 121(9): 1303-1310.
		Lehrer, M. S., T. T. Sun, et al. (1998). "Strategies of epithelial repair: modulation of stem cell and transit amplifying cell proliferation." <u>Journal of Cell Science</u> 111(Pt 19): 2867-75.
		Leibowitz, H. M., D. E. Krueger, et al. (1980). "The Framingham Eye Study monograph: An ophthalmological and epidemiological study of cataract, glaucoma, diabetic retinopathy, macular degeneration, and visual acuity in a general population of 2631 adults, 1973-1975." <u>Survey of Ophthalmology</u> 24(Suppl): 335-610.
		Leitgeb, R., C. K. Hitzenberger, et al. (2003). "Performance of fourier domain vs. time domain optical coherence tomography." <u>Optics Express</u> 11(8): 889-894.
		Leitgeb, R., L. F. Schmetterer, et al. (2002). "Flow velocity measurements by frequency domain short coherence interferometry." <u>Proc. SPIE</u> 4619: 16-21.
↓		Leitgeb, R. A., W. Drexler, et al. (2004). "Ultrahigh resolution Fourier domain optical coherence tomography." <u>Optics Express</u> 12(10): 2156-2165.
WBA		

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Leitgeb, R. A., C. K. Hitzengerger, et al. (2003). "Phase-shifting algorithm to achieve high-speed long-depth-range probing by frequency-domain optical coherence tomography." <u>Optics Letters</u> 28(22): 2201-2203.
		Leitgeb, R. A., L. Schmetterer, et al. (2003). "Real-time assessment of retinal blood flow with ultrafast acquisition by color Doppler Fourier domain optical coherence tomography." <u>Optics Express</u> 11(23): 3116-3121.
		Leitgeb, R. A., L. Schmetterer, et al. (2004). "Real-time measurement of in vitro flow by Fourier-domain color Doppler optical coherence tomography." <u>Optics Letters</u> 29 (2): 171-173.
		LeRoyBrehonnet, F. and B. LeJeune (1997). "Utilization of Mueller matrix formalism to obtain optical targets depolarization and polarization properties." <u>Progress in Quantum Electronics</u> 21(2): 109-151.
		Leske, M. C., A. M. Connell, et al. (1995). "Risk factors for open-angle glaucoma. The Barbados Eye Study. [see comments]." <u>Archives of Ophthalmology</u> 113(7): 918-24.
		Leske, M. C., A. M. Connell, et al. (2001). "Incidence of open-angle glaucoma: the Barbados Eye Studies. The Barbados Eye Studies Group. [see comments]." <u>Archives of Ophthalmology</u> 119(1): 89-95.
		Leske, M. C., A. Heijl, et al. (1999). "Early Manifest Glaucoma Trial. Design and Baseline Data." <u>Ophthalmology</u> 106(11): 2144-2153.
		Lewis, S. E., J. R. DeBoer, et al. (2005). "Sensitive, selective, and analytical improvements to a porous silicon gas sensor." <u>Sensors and Actuators B: Chemical</u> 110(1): 54-65.
		Lexer, F., C. K. Hitzengerger, et al. (1999). "Dynamic coherent focus OCT with depth- independent transversal resolution." <u>Journal of Modern Optics</u> 46(3): 541-553.
		Li, X., C. Chudoba, et al. (2000). "Imaging needle for optical coherence tomography." <u>Optics Letters</u> 25: 1520-1522.
DBA		Li, X., T. H. Ko, et al. (2001). "Intraluminal fiber-optic Doppler imaging catheter for structural and functional optical coherence tomography." <u>Optics Letters</u> 26: 1906-1908.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA ↑		Liddington, M. I. and P. G. Shakespeare (1996). "Timing of the thermographic assessment of burns." <u>Burns</u> 22(1): 26-8.
		Lindmo, T., D. J. Smithies, et al. (1998). "Accuracy and noise in optical Doppler tomography studied by Monte Carlo simulation." <u>Physics in Medicine and Biology</u> 43(10): 3045-3064.
		Liu, J., X. Chen, et al. (1999). "New thermal wave aspects on burn evaluation of skin subjected to instantaneous heating." <u>IEEE Transactions on Biomedical Engineering</u> 46(4): 420-8.
		Luke, D. G., R. McBride, et al. (1995). "Polarization mode dispersion minimization in fiber-wound piezoelectric cylinders." <u>Optics Letters</u> 20(24): 2550-2552.
		MacNeill, B. D., I. K. Jang, et al. (2004). "Focal and multi-focal plaque distributions in patients with macrophage acute and stable presentations of coronary artery disease." <u>Journal of the American College of Cardiology</u> 44(5): 972-979.
		Mahgerefteh, D. and C. R. Menyuk (1999). "Effect of first-order PMD compensation on the statistics of pulse broadening in a fiber with randomly varying birefringence." <u>Ieee Photonics Technology Letters</u> 11(3): 340-342.
		Maitland, D. J. and J. T. Walsh, Jr. (1997). "Quantitative measurements of linear birefringence during heating of native collagen." <u>Lasers in Surgery & Medicine</u> 20 (3): 310-8.
		Majaron, B., S. M. Srinivas, et al. (2000). "Deep coagulation of dermal collagen with repetitive Er : YAG laser irradiation." <u>Lasers in Surgery and Medicine</u> 26(2): 215-222.
		Mansuripur, M. (1991). "Effects of High-Numerical-Aperture Focusing on the State of Polarization in Optical and Magneto-optic Data-Storage Systems." <u>Applied Optics</u> 30(22): 3154-3162.
		Marshall, G. W., S. J. Marshall, et al. (1997). "The dentin substrate: structure and properties related to bonding." <u>Journal of Dentistry</u> 25(6): 441-458.
DBA ↓		Martin, P. (1997). "Wound healing - Aiming for perfect skin regeneration." <u>Science</u> 276 (5309): 75-81.
		Martinez, O. E. (1987). "3000 Times Grating Compressor with Positive Group-Velocity Dispersion - Application to Fiber Compensation in 1.3-1.6 μ -M Region." <u>Ieee Journal of Quantum Electronics</u> 23(1): 59-64.

Examiner

Dennis B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Martinez, O. E., J. P. Gordon, et al. (1984). "Negative Group-Velocity Dispersion Using Refraction." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 1(10): 1003-1006.
↑		McKinney, J. D., M. A. Webster, et al. (2000). "Characterization and imaging in optically scattering media by use of laser speckle and a variable-coherence source." <u>Optics Letters</u> 25(1): 4-6.
		Miglior, S., M. Casula, et al. (2001). "Clinical ability of Heidelberg retinal tomograph examination to detect glaucomatous visual field changes." <u>Ophthalmology</u> 108 (9): 1621-7.
		Milner, T. E., D. M. Goodman, et al. (1996). "Imaging laser heated subsurface chromophores in biological materials: Determination of lateral physical dimensions." <u>Physics in Medicine and Biology</u> 41(1): 31-44.
		Milner, T. E., D. M. Goodman, et al. (1995). "Depth Profiling of Laser-Heated Chromophores in Biological Tissues by Pulsed Photothermal Radiometry." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 12 (7): 1479-1488.
		Milner, T. E., D. J. Smithies, et al. (1996). "Depth determination of chromophores in human skin by pulsed photothermal radiometry." <u>Applied Optics</u> 35(19): 3379-3385.
		Mishchenko, M. I. and J. W. Hovenier (1995). "Depolarization of Light Backscattered by Randomly Oriented Nonspherical Particles." <u>Optics Letters</u> 20(12): 1356-&.
		Mistlberger, A., J. M. Liebmann, et al. (1999). "Heidelberg retina tomography and optical coherence tomography in normal, ocular-hypertensive, and glaucomatous eyes." <u>Ophthalmology</u> 106(10): 2027-32.
		Mitsui, T. (1999). "High-speed detection of ballistic photons propagating through suspensions using spectral interferometry." <u>Japanese Journal of Applied Physics Part 1-Regular Papers Short Notes & Review Papers</u> 38(5A): 2978-2982.
↓		Molteno, A. C., N. J. Bosma, et al. (1999). "Otago glaucoma surgery outcome study: long-term results of trabeculectomy--1976 to 1995." <u>Ophthalmology</u> 106(9): 1742-50.
DBA		Morgner, U., W. Drexler, et al. (2000). "Spectroscopic optical coherence tomography." <u>Optics Letters</u> 25(2): 111-113.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017


Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

<p>DBA</p> <p>↑</p> <p>↓</p> <p>DBA</p>		<p>Morgner, U., F. X. Kartner, et al. (1999). "Sub-two-cycle pulses from a Kerr-lens mode-locked Ti : sapphire laser (vol 24, pg 411, 1999)." <u>Optics Letters</u> 24(13): 920-920.</p>
		<p>Mourant, J. R., A. H. Hielscher, et al. (1998). "Evidence of intrinsic differences in the light scattering properties of tumorigenic and nontumorigenic cells." <u>Cancer Cytopathology</u> 84(6): 366-374.</p>
		<p>Muller, M., J. Squier, et al. (1998). "Dispersion pre-compensation of 15 femtosecond optical pulses for high-numerical-aperture objectives." <u>Journal of Microscopy-Oxford</u> 191: 141-150.</p>
		<p>Muscat, S., N. McKay, et al. (2002). "Repeatability and reproducibility of corneal thickness measurements by optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 43(6): 1791-5.</p>
		<p>Musch, D. C., P. R. Lichter, et al. (1999). "The Collaborative Initial Glaucoma Treatment Study. Study Design, Methods, and Baseline Characteristics of Enrolled Patients." <u>Ophthalmology</u> 106: 653-662.</p>
		<p>Neerken, S., Lucassen, G.W., Bisschop, M.A., Lenderink, E., Nuijs, T.A.M. (2004). "Characterization of age-related effects in human skin: A comparative study that applies confocal laser scanning microscopy and optical coherence tomography." <u>Journal of Biomedical Optics</u> 9(2): 274-281.</p>
		<p>Nelson, J. S., K. M. Kelly, et al. (2001). "Imaging blood flow in human port-wine stain in situ and in real time using optical Doppler tomography." <u>Archives of Dermatology</u> 137(6): 741-744.</p>
		<p>Newson, T. P., F. Farahi, et al. (1988). "Combined Interferometric and Polarimetric Fiber Optic Temperature Sensor with a Short Coherence Length Source." <u>Optics Communications</u> 68(3): 161-165.</p>
		<p>November, L. J. (1993). "Recovery of the Matrix Operators in the Similarity and Congruency Transformations - Applications in Polarimetry." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 10(4): 719-739.</p>
		<p>Oh, W. Y., S. H. Yun, et al. (2005). "Wide tuning range wavelength-swept laser with two semiconductor optical amplifiers." <u>Ieee Photonics Technology Letters</u> 17(3): 678- 680.</p>

Examiner

Wenise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

NBA		Oka, K. and T. Kato (1999). "Spectroscopic polarimetry with a channeled spectrum." <u>Optics Letters</u> 24(21): 1475-1477.
↑		Okugawa, T. and K. Rotate (1996). "Real-time optical image processing by synthesis of the coherence function using real-time holography." <u>Ieee Photonics Technology Letters</u> 8(2): 257-259.
		Oshima, M., R. Torii, et al. (2001). "Finite element simulation of blood flow in the cerebral artery." <u>Computer Methods in Applied Mechanics and Engineering</u> 191 (6-7): 661-671.
		Pan, Y. T., H. K. Xie, et al. (2001). "Endoscopic optical coherence tomography based on a microelectromechanical mirror." <u>Optics Letters</u> 26(24): 1966-1968.
		Parisi, V., G. Manni, et al. (2001). "Correlation between optical coherence tomography, pattern electroretinogram, and visual evoked potentials in open-angle glaucoma patients." <u>Ophthalmology</u> 108(5): 905-12.
		Park, B. H., M. C. Pierce, et al. (2005). "Real-time fiber-based multi-functional spectral-domain optical coherence tomography at 1.3 μ m." <u>Optics Express</u> 13(11): 3931-3944.
		Park, D. H., J. W. Hwang, et al. (1998). "Use of laser Doppler flowmetry for estimation of the depth of burns." <u>Plastic and Reconstructive Surgery</u> 101(6): 1516-1523.
		Pendry, J. B., A. J. Holden, et al. (1999). "Magnetism from conductors and enhanced nonlinear phenomena." <u>Ieee Transactions on Microwave Theory and Techniques</u> 47(11): 2075-2084.
		Penninckx, D. and V. Morenas (1999). "Jones matrix of polarization mode dispersion." <u>Optics Letters</u> 24(13): 875-877.
↓		Pierce, M. C., M. Shishkov, et al. (2005). "Effects of sample arm motion in endoscopic polarization-sensitive optical coherence tomography." <u>Optics Express</u> 13(15): 5739-5749
NBA		Pircher, M., E. Gotzinger, et al. (2003). "Measurement and imaging of water concentration in human cornea with differential absorption optical coherence tomography." <u>Optics Express</u> 11(18): 2190-2197.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017



Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

		Pircher, M., E. Gotzinger, et al. (2003). "Speckle reduction in optical coherence tomography by frequency compounding." <u>Journal of Biomedical Optics</u> 8(3): 565-569.
		Podoleanu, A. G., G. M. Dobre, et al. (1998). "En-face coherence imaging using galvanometer scanner modulation." <u>Optics Letters</u> 23(3): 147-149.
		Podoleanu, A. G. and D. A. Jackson (1999). "Noise analysis of a combined optical coherence tomograph and a confocal scanning ophthalmoscope." <u>Applied Optics</u> 38(10): 2116-2127.
		Podoleanu, A. G., J. A. Rogers, et al. (2000). "Three dimensional OCT images from retina and skin." <u>Optics Express</u> 7(9): 292-298.
		Podoleanu, A. G., M. Seeger, et al. (1998). "Transversal and longitudinal images from the retina of the living eye using low coherence reflectometry." <u>Journal of Biomedical Optics</u> 3(1): 12-20.
		Poole, C. D. (1988). "Statistical Treatment of Polarization Dispersion in Single-Mode Fiber." <u>Optics Letters</u> 13(8): 687-689.
		Povazay, B., K. Bizheva, et al. (2002). "Submicrometer axial resolution optical coherence tomography." <u>Optics Letters</u> 27(20): 1800-1802.
		Qi, B., A. P. Himmer, et al. (2004). "Dynamic focus control in high-speed optical coherence tomography based on a microelectromechanical mirror." <u>Optics Communications</u> 232(1-6): 123-128.
		Radhakrishnan, S., A. M. Rollins, et al. (2001). "Real-time optical coherence tomography of the anterior segment at 1310 nm." <u>Archives of Ophthalmology</u> 119(8): 1179-1185.
		Rogers, A. J. (1981). "Polarization-Optical Time Domain Reflectometry - a Technique for the Measurement of Field Distributions." <u>Applied Optics</u> 20(6): 1060-1074.
		Rollins, A. M. and J. A. Izatt (1999). "Optimal interferometer designs for optical coherence tomography." <u>Optics Letters</u> 24(21): 1484-1486.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017


Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Rollins, A. M., R. Ung-arunyawee, et al. (1999). "Real-time in vivo imaging of human gastrointestinal ultrastructure by use of endoscopic optical coherence tomography with a novel efficient interferometer design." <u>Optics Letters</u> 24(19): 1358-1360.
		Rollins, A. M., S. Yazdanfar, et al. (2002). "Real-time in vivo colors Doppler optical coherence tomography." <u>Journal of Biomedical Optics</u> 7(1): 123-129.
		Rollins, A. M., S. Yazdanfar, et al. (2000). "Imaging of human retinal hemodynamics using color Doppler optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 41(4): S548-S548.
		Sandoz, P. (1997). "Wavelet transform as a processing tool in white-light interferometry." <u>Optics Letters</u> 22(14): 1065-1067.
		Sankaran, V., M. J. Everett, et al. (1999). "Comparison of polarized-light propagation in biological tissue and phantoms." <u>Optics Letters</u> 24(15): 1044-1046.
		Sankaran, V., J. T. Walsh, et al. (2000). "Polarized light propagation through tissue phanto, ehms containing densely packed scatterers." <u>Optics Letters</u> 25(4): 239-241
		Sarunic, M. V., M. A. Choma, et al. (2005). "Instantaneous complex conjugate resolved spectral domain and swept-source OCT using 3x3 fiber couplers." <u>Optics Express</u> 13(3): 957-967.
		Sathyam, U. S., B. W. Colston, et al. (1999). "Evaluation of optical coherence quantitation of analytes in turbid media by use of two wavelengths." <u>Applied Optics</u> 38(10): 2097-2104
		Schmitt, J. M. (1997). "Array detection for speckle reduction in optical coherence microscopy." <u>Physics in Medicine and Biology</u> 42(7): 1427-1439.
		Schmitt, J. M. (1999). "Optical coherence tomography (OCT): A review." <u>Ieee Journal of Selected Topics in Quantum Electronics</u> 5(4): 1205-1215.
DBA		Schmitt, J. M. and A. Knüttel (1997). "Model of optical coherence tomography of heterogeneous tissue." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 14(6): 1231-1242.

Examiner

Date Considered

Nerise B Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Schmitt, J. M., S. L. Lee, et al. (1997). "An optical coherence microscope with enhanced resolving power in thick tissue." <u>Optics Communications</u> 142(4-6): 203-207.
↑		Schmitt, J. M., S. H. Xiang, et al. (1998). "Differential absorption imaging with optical coherence tomography." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 15(9): 2288-2296.
		Schmitt, J. M., S. H. Xiang, et al. (1999). "Speckle in optical coherence tomography." <u>Journal of Biomedical Optics</u> 4(1): 95-105.
		Schmitt, J. M., M. J. Yadlowsky, et al. (1995). "Subsurface Imaging of Living Skin with Optical Coherence Microscopy." <u>Dermatology</u> 191(2): 93-98.
		Shi, H., J. Finlay, et al. (1997). "Multiwavelength 10-GHz picosecond pulse generation from a single-stripe semiconductor diode laser." <u>Ieee Photonics Technology Letters</u> 9(11): 1439-1441.
		Shi, H., I. Nitta, et al. (1999). "Demonstration of phase correlation in multiwavelength mode-locked semiconductor diode lasers." <u>Optics Letters</u> 24(4): 238-240.
		Simon, R. (1982). "The Connection between Mueller and Jones Matrices of Polarization Optics." <u>Optics Communications</u> 42(5): 293-297.
		Smith, P. J. M., E.M.; Taylor, C.M.; Selviah, D.R.; Day, S.E.; Commander, L.G. "Variable-Focus Microlenses as a Potential Technology for Endoscopy."
		Smithies, D. J., T. Lindmo, et al. (1998). "Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation." <u>Physics in Medicine and Biology</u> 43(10): 3025-3044.
↓		Sorin, W. V. and D. F. Gray (1992). "Simultaneous Thickness and Group Index Measurement Using Optical Low-Coherence Reflectometry." <u>Ieee Photonics Technology Letters</u> 4(1): 105-107.
DBA		Sticker, M., C. K. Hitzengerger, et al. (2001). "Quantitative differential phase measurement and imaging in transparent and turbid media by optical coherence tomography." <u>Optics Letters</u> 26(8): 518-520.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017



Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

		Sticker, M., M. Pircher, et al. (2002). "En face imaging of single cell layers by differential phase-contrast optical coherence microscopy." <u>Optics Letters</u> 27(13): 1126-1128.
		Stoller, P., B. M. Kim, et al. (2002). "Polarization-dependent optical second-harmonic imaging of a rat-tail tendon." <u>Journal of Biomedical Optics</u> 7(2): 205-214.
		Sun, C. S. (2003). "Multiplexing of fiber-optic acoustic sensors in a Michelson interferometer configuration." <u>Optics Letters</u> 28(12): 1001-1003.
		Swanson, E. A., J. A. Izatt, et al. (1993). "In-Vivo Retinal Imaging by Optical Coherence Tomography." <u>Optics Letters</u> 18(21): 1864-1866.
		Takada, K., A. Himeno, et al. (1991). "Phase-Noise and Shot-Noise Limited Operations of Low Coherence Optical-Time Domain Reflectometry." <u>Applied Physics Letters</u> 59(20): 2483-2485.
		Takenaka, H. (1973). "Unified Formalism for Polarization Optics by Using Group-Theory I (Theory)." <u>Japanese Journal of Applied Physics</u> 12(2): 226-231.
		Tanno, N., T. Ichimura, et al. (1994). "Optical Multimode Frequency-Domain Reflectometer." <u>Optics Letters</u> 19(8): 587-589.
		Tan-no, N., T. Ichimura, et al. (1994). "Optical Multimode Frequency-Domain Reflectometer." <u>Optics Letters</u> 19(8): 587-589.
		Targowski, P., M. Wojtkowski, et al. (2004). "Complex spectral OCT in human eye imaging in vivo." <u>Optics Communications</u> 229(1-6): 79-84.
		Tearney, G. J., S. A. Boppart, et al. (1996). "Scanning single-mode fiber optic catheter- endoscope for optical coherence tomography (vol 21, pg 543, 1996)." <u>Optics Letters</u> 21(12): 912-912.
		Tearney, G. J., B. E. Bouma, et al. (1996). "Rapid acquisition of in vivo biological images by use of optical coherence tomography." <u>Optics Letters</u> 21(17): 1408-1410.
		Tearney, G. J., B. E. Bouma, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." <u>Science</u> 276(5321): 2037-2039.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

IOBA		Tearney, G. J., M. E. Brezinski, et al. (1996). "Catheter-based optical imaging of a human coronary artery." <u>Circulation</u> 94(11): 3013-3013.
↑		Tearney, G. J., M. E. Brezinski, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." <u>Science</u> 276(5321): 2037-9.
		Tearney, G. J., M. E. Brezinski, et al. (1997). "Optical biopsy in human gastrointestinal tissue using optical coherence tomography." <u>American Journal of Gastroenterology</u> 92(10): 1800-1804.
		Tearney, G. J., M. E. Brezinski, et al. (1995). "Determination of the refractive index of highly scattering human tissue by optical coherence tomography." <u>Optics Letters</u> 20(21): 2258-2260.
		Tearney, G. J., I. K. Jang, et al. (2000). "Porcine coronary imaging in vivo by optical coherence tomography." <u>Acta Cardiologica</u> 55(4): 233-237.
		Tearney, G. J., R. H. Webb, et al. (1998). "Spectrally encoded confocal microscopy." <u>Optics Letters</u> 23(15): 1152-1154.
		Tearney, G. J., H. Yabushita, et al. (2003). "Quantification of macrophage content in atherosclerotic plaques by optical coherence tomography." <u>Circulation</u> 107(1): 113-119.
		Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: I. Microscopic elliptical polarimetry." <u>Biophysical Journal</u> 81(5): 2954-2963.
		Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: II. Fast harmonic analysis for imaging." <u>Biophysical Journal</u> 81(5): 2964-2971.
		Troy, T. L. and S. N. Thennadil (2001). "Optical properties of human skin in the near infrared wavelength range of 1000 to 2200 nm." <u>Journal of Biomedical Optics</u> 6 (2): 167-176.
		Vabre, L., A. Dubois, et al. (2002). "Thermal-light full-field optical coherence tomography." <u>Optics Letters</u> 27(7): 530-532.
↓ IOBA		Vakhtin, A. B., D. J. Kane, et al. (2003). "Common-path interferometer for frequency-domain optical coherence tomography." <u>Applied Optics</u> 42(34): 6953-6958.

Examiner

Date Considered

Denise B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017


Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

OBA ↑ ↓ OBA		Vakhtin, A. B., K. A. Peterson, et al. (2003). "Differential spectral interferometry: an imaging technique for biomedical applications." <u>Optics Letters</u> 28(15): 1332-1334.
		Vakoc, B. J., S. H. Yun, et al. (2005). "Phase-resolved optical frequency domain imaging." <u>Optics Express</u> 13(14): 5483-5493.
		van Leeuwen, T. G., M. D. Kulkarni, et al. (1999). "High-flow-velocity and shear-rate imaging by use of color Doppler optical coherence tomography." <u>Optics Letters</u> 24(22): 1584-1586.
		Vansteenkiste, N., P. Vignolo, et al. (1993). "Optical Reversibility Theorems for Polarization - Application to Remote-Control of Polarization." <u>Journal of the Optical Society of America a-Optics Image Science and Vision</u> 10(10): 2240-2245.
		Vargas, O., E. K. Chan, et al. (1999). "Use of an agent to reduce scattering in skin." <u>Lasers in Surgery and Medicine</u> 24(2): 133-141.
		Wang, R. K. (1999). "Resolution improved optical coherence-gated tomography for imaging through biological tissues." <u>Journal of Modern Optics</u> 46(13): 1905-1912.
		Wang, X. J., T. E. Milner, et al. (1997). "Measurement of fluid-flow-velocity profile in turbid media by the use of optical Doppler tomography." <u>Applied Optics</u> 36(1): 144-149.
		Wang, X. J., T. E. Milner, et al. (1995). "Characterization of Fluid-Flow Velocity by Optical Doppler Tomography." <u>Optics Letters</u> 20(11): 1337-1339.
		Wang, Y. M., J. S. Nelson, et al. (2003). "Optimal wavelength for ultrahigh-resolution optical coherence tomography." <u>Optics Express</u> 11(12): 1411-1417.
		Wang, Y. M., Y. H. Zhao, et al. (2003). "Ultrahigh-resolution optical coherence tomography by broadband continuum generation from a photonic crystal fiber." <u>Optics Letters</u> 28(3): 182-184.
		Watkins, L. R., S. M. Tan, et al. (1999). "Determination of interferometer phase distributions by use of wavelets." <u>Optics Letters</u> 24(13): 905-907.

Examiner

Devin B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Wetzel, J. (2001). "Optical coherence tomography in dermatology: a review." <u>Skin Research and Technology</u> 7(1): 1-9.
↑		Wentworth, R. H. (1989). "Theoretical Noise Performance of Coherence-Multiplexed Interferometric Sensors." <u>Journal of Lightwave Technology</u> 7(6): 941-956.
		Westphal, V., A. M. Rollins, et al. (2002). "Correction of geometric and refractive image distortions in optical coherence tomography applying Fermat's principle." <u>Optics Express</u> 10(9): 397-404.
		Westphal, V., S. Yazdanfar, et al. (2002). "Real-time, high velocity-resolution color Doppler optical coherence tomography." <u>Optics Letters</u> 27(1): 34-36.
		Williams, P. A. (1999). "Rotating-wave-plate Stokes polarimeter for differential group delay measurements of polarization-mode dispersion." <u>Applied Optics</u> 38(31): 6508-6515.
		Wojtkowski, M., T. Bajraszewski, et al. (2003). "Real-time in vivo imaging by high-speed spectral optical coherence tomography." <u>Optics Letters</u> 28(19): 1745-1747.
		Wojtkowski, M., A. Kowalczyk, et al. (2002). "Full range complex spectral optical coherence tomography technique in eye imaging." <u>Optics Letters</u> 27(16): 1415-1417.
		Wojtkowski, M., R. Leitgeb, et al. (2002). "In vivo human retinal imaging by Fourier domain optical coherence tomography." <u>Journal of Biomedical Optics</u> 7(3): 457-463.
		Wojtkowski, M., R. Leitgeb, et al. (2002). "Fourier domain OCT imaging of the human eye in vivo." <u>Proc. SPIE</u> 4619: 230-236.
↓		Wojtkowski, M., V. J. Srinivasan, et al. (2004). "Ultrahigh-resolution, high-speed, Fourier domain optical coherence tomography and methods for dispersion compensation." <u>Optics Express</u> 12(11): 2404-2422.
DBA		Wong, B. J. F., Y. H. Zhao, et al. (2004). "Imaging the internal structure of the rat cochlea using optical coherence tomography at 0.827 μm and 1.3 μm ." <u>Otolaryngology-Head and Neck Surgery</u> 130(3): 334-338.

Examiner

Dennis B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

WBA		Yabushita, H. B., B.E.; Houser, S.L.; Aretz, H.T.; Jang, I.; Schlendorf, K.H.; Kauffman, C.R.; Shishkov, M.; Halpern, E.F.; Tearney, G.J. "Measurement of Thin Fibrous Caps in Atherosclerotic Plaques by Optical Coherence Tomography."
↑		Yang, C., A. Wax, et al. (2001). "Phase-dispersion optical tomography." <u>Optics Letters</u> 26(10): 686-688.
		Yang, C., A. Wax, et al. (2001). "Phase-referenced interferometer with subwavelength and subhertz sensitivity applied to the study of cell membrane dynamics." <u>Optics Letters</u> 26(16): 1271-1273.
		Yang, C. H., A. Wax, et al. (2001). "Phase-dispersion optical tomography." <u>Optics Letters</u> 26(10): 686-688.
		Yang, C. H., A. Wax, et al. (2000). "Interferometric phase-dispersion microscopy." <u>Optics Letters</u> 25(20): 1526-1528.
		Yang, V. X. D., M. L. Gordon, et al. (2002). "Improved phase-resolved optical Doppler tomography using the Kasai velocity estimator and histogram segmentation." <u>Optics Communications</u> 208(4-6): 209-214.
		Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part I): System design, signal processing, and performance." <u>Optics Express</u> 11(7): 794-809.
		Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part II): Imaging in vivo cardiac dynamics of <i>Xenopus laevis</i> ." <u>Optics Express</u> 11(14): 1650-1658.
		Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part III): in vivo endoscopic imaging of blood flow in the rat and human gastrointestinal tracts." <u>Optics Express</u> 11(19): 2416-2424.
		Yang, V. X. D., B. Qi, et al. (2003). "In vivo feasibility of endoscopic catheter-based Doppler optical coherence tomography." <u>Gastroenterology</u> 124(4): A49-A50.
↓		Yao, G. and L. H. V. Wang (2000). "Theoretical and experimental studies of ultrasound-modulated optical tomography in biological tissue." <u>Applied Optics</u> 39(4): 659-664.
WBA		

Examiner

Wenjie B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017


Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

ALBA 	Yazdanfar, S. and J. A. Izatt (2002). "Self-referenced Doppler optical coherence tomography." <u>Optics Letters</u> 27(23): 2085-2087.
	Yazdanfar, S., M. D. Kulkarni, et al. (1997). "High resolution imaging of in vivo cardiac dynamics using color Doppler optical coherence tomography." <u>Optics Express</u> 1 (13) : 424-431.
	Yazdanfar, S., A. M. Rollins, et al. (2000). "Imaging and velocimetry of the human retinal circulation with color Doppler optical coherence tomography." <u>Optics Letters</u> 25(19): 1448-1450.
	Yazdanfar, S., A. M. Rollins, et al. (2000). "Noninvasive imaging and velocimetry of human retinal blood flow using color Doppler optical coherence tomography." <u>Investigative Ophthalmology & Visual Science</u> 41(4): S548-S548.
	Yazdanfar, S., A. M. Rollins, et al. (2003). "In vivo imaging of human retinal flow dynamics by color Doppler optical coherence tomography." <u>Archives of Ophthalmology</u> 121(2): 235-239.
	Yazdanfar, S., C. H. Yang, et al. (2005). "Frequency estimation precision in Doppler optical coherence tomography using the Cramer-Rao lower bound." <u>Optics Express</u> 13(2): 410-416.
	Yun, S. H., C. Boudoux, et al. (2004). "Extended-cavity semiconductor wavelength- swept laser for biomedical imaging." <u>Ieee Photonics Technology Letters</u> 16(1): 293-295.
	Yun, S. H., C. Boudoux, et al. (2003). "High-speed wavelength-swept semiconductor laser with a polygon-scanner-based wavelength filter." <u>Optics Letters</u> 28(20): 1981-1983.
	Yun, S. H., G. J. Tearney, et al. (2004). "Pulsed-source and swept-source spectral- domain optical coherence tomography with reduced motion artifacts." <u>Optics Express</u> 12(23): 5614-5624.
	Yun, S. H., G. J. Tearney, et al. (2004). "Removing the depth-degeneracy in optical frequency domain imaging with frequency shifting." <u>Optics Express</u> 12(20): 4822-4828.
NOBA	Yun, S. H., G. J. Tearney, et al. (2004). "Motion artifacts in optical coherence tomography with frequency-domain ranging." <u>Optics Express</u> 12(13): 2977-2998.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney et al.

Filing Date
July 9, 2004

Group
2878

DBA		Zhang, J., J. S. Nelson, et al. (2005). "Removal of a mirror image and enhancement of the signal-to-noise ratio in Fourier-domain optical coherence tomography using an electro-optic phase modulator." <u>Optics Letters</u> 30(2): 147-149.
↑		Zhang, Y., M. Sato, et al. (2001). "Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement." <u>Optics Communications</u> 192(3-6): 183-192.
		Zhang, Y., M. Sato, et al. (2001). "Resolution improvement in optical coherence tomography by optimal synthesis of light-emitting diodes." <u>Optics Letters</u> 26(4): 205-207.
		Zhao, Y., Z. Chen, et al. (2002). "Real-time phase-resolved functional optical coherence tomography by use of optical Hilbert transformation." <u>Optics Letters</u> 27(2): 98-100.
		Zhao, Y. H., Z. P. Chen, et al. (2000). "Doppler standard deviation imaging for clinical monitoring of in vivo human skin blood flow." <u>Optics Letters</u> 25(18): 1358-1360.
		Zhao, Y. H., Z. P. Chen, et al. (2000). "Phase-resolved optical coherence tomography and optical Doppler tomography for imaging blood flow in human skin with fast scanning speed and high velocity sensitivity." <u>Optics Letters</u> 25(2): 114-116.
		Zhou, D., P. R. Prucnal, et al. (1998). "A widely tunable narrow linewidth semiconductor fiber ring laser." <u>IEEE Photonics Technology Letters</u> 10(6): 781-783.
↓		Zuluaga, A. F. and R. Richards-Kortum (1999). "Spatially resolved spectral interferometry for determination of subsurface structure." <u>Optics Letters</u> 24(8): 519-521.
DBA		Zvyagin, A. V., J. B. FitzGerald, et al. (2000). "Real-time detection technique for Doppler optical coherence tomography." <u>Optics Letters</u> 25(22): 1645-1647.

4823-9416-371211

Examiner

Date Considered

Denise B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878



U.S. PATENT DOCUMENTS

*Exam. Init.		Document No.							Date	Name	Class	Subclass	Filing Date if Appropriate
DBA	S	5	4	9	1	5	2	4	February 13, 1996	Hellmuth et al.			
		6	6	8	0	7	8	0	January 20, 2004	Fee			
	2003	0	1	3	5	1	0	1	July 17, 2003	Webler			
		6	9	8	0	2	9	9	December 27, 2005	de Boer			
		6	1	6	6	3	7	3	December 26, 2000	Mao			
		6	4	6	9	8	4	6	October 22, 2002	Ebizuka et al.			
		5	6	2	3	3	3	6	April 22, 1997	Raab et al.			
		5	2	6	2	6	4	4	November 16, 1993	Maguire			
		5	1	2	7	7	3	0	July 7, 1992	Brelje et al.			
		5	2	4	8	8	7	6	September 28, 1993	Kerstens et al.			
		5	3	0	4	8	1	0	April 19, 1994	Amos			
		5	4	5	0	2	0	3	September 12, 1995	Penkethman			
		5	4	5	9	3	2	5	October 17, 1995	Hueton et al.			
		5	5	2	6	3	3	8	June 11, 1996	Hasman et al.			
		5	6	0	0	4	8	6	February 4, 1997	Gal et al.			
		5	6	9	8	3	9	7	December 16, 1997	Zarling et al.			
		5	7	8	5	6	5	1	July 28, 1998	Kuhn et al.			
		5	8	8	7	0	0	9	March 23, 1999	Mandella et al.			
		5	0	4	5	9	3	6	September 3, 1991	Lobb et al.			
		5	2	9	1	8	8	5	March 8, 1994	Taniji et al.			
		5	2	9	3	8	7	3	March 15, 1994	Fang			
		5	0	6	5	3	3	1	November 1991	Vachon et al.			
V	2001	0	0	4	7	1	3	7	November 2001	Moreno et al.			
DBA	2002	0	0	1	6	5	3	3	February 7, 2002	Marchitto et al.			

Examiner

Date Considered

Denise B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

DBA		6	8	1	6	7	4	3	November 9, 2004	Moreno et al.			
		6	3	2	4	4	1	9	November 27, 2001	Guzelsu et al.			
		6	5	6	4	0	8	9	May 13, 2003	Izatt et al.			
		6	1	9	8	9	5	6	March 6, 2001	Dunne, Shane			
DBA		5	7	3	5	2	7	6	April 7, 1998	Lemelson, Jerome			

FOREIGN PATENT DOCUMENT

		Document No.							Date	Country	Class	SubClass	Translator Yes No	
DBA	0	4	1	0	5	5	9	8	December 9, 2004	WIPO				

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

DBA			Marc Nikles et al., "Brillouin gain spectrum characterization in single-mode optical fibers", <u>Journal of Lightwave Technology</u> 1997, 15 (10): 1842-1851.
			Tsuyoshi Sonehara et al., "Forced Brillouin Spectroscopy Using Frequency-Tunable Continuous-Wave Lasers", <u>Physical Review Letters</u> 1995, 75 (23): 4234-4237.
			Hajime Tanaka et al., "New Method of Superheterodyne Light Beating Spectroscopy for Brillouin-Scattering Using Frequency-Tunable Lasers", <u>Physical Review Letters</u> 1995, 74 (9): 1609-1612.
			Webb RH et al. "Confocal Scanning Laser Ophthalmoscope", <u>Applied Optics</u> 1987, 26 (8): 1492-1499.
			Andreas Zumbusch et al. "Three-dimensional vibrational imaging by coherent anti-Stokes Raman scattering", <u>Physical Review Letters</u> 1999, 82 (20): 4142-4145.
DBA			Katrin Kneipp et al., "Single molecule detection using surface-enhanced Raman scattering (SERS)", <u>Physical Review Letters</u> 1997, 78 (9): 1667-1670.

Examiner

Date Considered

Denise B. Anderson

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**

(Use several sheets if necessary)

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

DBA		K.J. Koski et al., "Brillouin imaging" <u>Applied Physics Letters</u> 87, 2005.
		Boas et al., "Diffusing temporal light correlation for burn diagnosis", <u>SPIE</u> , 1999, 2979:468-477.
		David J. Briers, "Speckle fluctuations and biomedical optics: implications and applications", <u>Optical Engineering</u> , 1993, 32(2):277-283.
		Clark et al., "Tracking Speckle Patterns with Optical Correlation", <u>SPIE</u> , 1992, 1772:77-87.
		Facchini et al., "An endoscopic system for DSPI", <u>Optik</u> , 1993, 95(1):27-30.
		Hrabovsky, M., "Theory of speckle displacement and decorrelation: application in mechanics", <u>SPIE</u> , 1998, 3479:345-354.
		Sean J. Kirkpatrick et al., "Micromechanical behavior of cortical bone as inferred from laser speckle data", <u>Journal of Biomedical Materials Research</u> , 1998, 39(3):373-379.
		Sean J. Kirkpatrick et al., "Laser speckle microstrain measurements in vascular tissue", <u>SPIE</u> , 1999, 3598:121-129.
		Loree et al., "Mechanical Properties of Model Atherosclerotic Lesion Lipid Pools", <u>Arteriosclerosis and Thrombosis</u> , 1994, 14(2):230-234.
		Podbielska, H. "Interferometric Methods and Biomedical Research", <u>SPIE</u> , 1999, 2732:134-141.
		Richards-Kortum et al., "Spectral diagnosis of atherosclerosis using an optical fiber laser catheter", <u>American Heart Journal</u> , 1989, 118(2):381-391.
		Ruth, B. "blood flow determination by the laser speckle method", <u>Int J Microcirc: Clin Exp</u> , 1990, 9:21-45.
DBA		Shapo et al., "Intravascular strain imaging: Experiments on an Inhomogeneous Phantom", <u>IEEE Ultrasonics Symposium</u> 1996, 2:1177-1180.

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

DBA			Shapo et al., "Ultrasonic displacement and strain imaging of coronary arteries with a catheter array", <u>IEEE Ultrasonics Symposium</u> 1995, 2:1511-1514.
↑			Thompson et al., "Imaging in scattering media by use of laser speckle", <u>Opt. Soc. Am. A.</u> , 1997, 14(9):2269-2277.
			Thompson et al., "Diffusive media characterization with laser speckle", <u>Applied Optics</u> , 1997, 36(16):3726-3734.
			Tuchin, Valery V., "Coherent Optical Techniques for the Analysis of Tissue Structure and Dynamics," <u>Journal of Biomedical Optics</u> , 1999, 4(1):106-124.
			M. Wussling et al., "Laser diffraction and speckling studies in skeletal and heart muscle", <u>Biomed. Biochim. Acta</u> , 1986, 45(1/2):S 23- S 27.
			T. Yoshimura et al., "Statistical properties of dynamic speckles", <u>J. Opt. Soc. Am A.</u> 1986, 3(7):1032-1054.
			Zimnyakov et al., "Spatial speckle correlometry in applications to tissue structure monitoring", <u>Applied Optics</u> 1997, 36(22): 5594-5607.
			Zimnyakov et al., "A study of statistical properties of partially developed speckle fields as applied to the diagnosis of structural changes in human skin", <u>Optics and Spectroscopy</u> , 1994, 76(5): 747-753.
			Zimnyakov et al., "Speckle patterns polarization analysis as an approach to turbid tissue structure monitoring", <u>SPIE</u> 1999, 2981:172-180.
			Ramasamy Manoharan et al., "Biochemical analysis and mapping of atherosclerotic human artery using FT-IR microspectroscopy", <u>Atherosclerosis</u> , May 1993, 181-1930.
↓			N.V. Salunke et al., "Biomechanics of Atherosclerotic Plaque" <u>Critical Reviews™ in Biomedical Engineering</u> 1997, 25(3):243-285.
DBA			

4846-4185-497611

Examiner

Denise B. Anderson

Date Considered

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
036290/US/2 - 475387-
00017

Serial No.
10/501,268

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Applicant(s)
Guillermo J. Tearney

Filing Date
July 9, 2004

Group
2878

U.S. PATENT DOCUMENTS

*Exam. Init.	Document No.	Date	Name	Cl as s	Subclass	Filing Date if Appropriate
DBA	6 5 5 8 3 2 4	May 6, 2003	Von Behren et al. **			
	5 9 4 9 9 2 9	September 7,	Hamm **			
	6 3 5 3 6 9 3	March 5, 2002	Kano et al. **			
DBA	5 0 3 9 1 9 3	August 13, 1991	Snow et al. **			

FOREIGN PATENT DOCUMENT

Document No.	Date	Country	Class	SubClass	Translator Yes No
DBA 0 2 3 6 0 1 5	May 10, 2002	WIPO **			

** References cited in International Search Report

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

DBA		D. Fu et al., "Non-invasive quantitative reconstruction of tissue elasticity using an iterative forward approach", Phys. Med. Biol. 2000 (45): 1495-1509. **
		S.B. Adams Jr. et al., "The use of polarization sensitive optical coherence tomography and elastography to assess connective tissue", Optical Soc. of American Washington 2002, Page 3 **
		International Search Report for International Patent application No. PCT/US2005/039740.
		International Written Opinion for International Patent application No. PCT/US2005/039740.
DBA		International Search Report for International Patent application No. PCT/US2005/030294.

4814-2482-4832\1

Examiner

Date Considered

Denise B. Andersen

4/11/06

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.